

HPE ProLiant ML350 Gen11



Nouveautés

- Optimisé par les processeurs Intel® Xeon® Scalable 4e et 5e génération, qui prennent en charge jusqu'à 64 cœurs[1] (128 cœurs par serveur) à un TDP de 350 W. Augmentation de la bande passante mémoire allant jusqu'à 5 600 MT/s[2], jusqu'à 8 To de mémoire DDR5.
- Prend en charge le nouveau facteur de forme NVMe E3.S EDSFF permettant l'intégration de serveurs de densité supérieure et de systèmes de stockage, l'optimisation des voies PCIe à partir des processeurs, et des performances très hautes des baies SSD.
- Amélioration des taux de transfert de données à partir du bus d'extension série PCIe Gen5, prise en charge de maximum 10 logements PCIe Gen5 standard et 2 logements OCP 3.0 [3].
- Comprend le logiciel de gestion de

Vue d'ensemble

Vous êtes à la recherche d'un serveur tour optimisé, robuste et flexible pour votre PME et vos bureaux distants ?

Le serveur HPE ProLiant ML350 Gen11 est un serveur tour 2P puissant, équipé d'un châssis en rack en option pour différents environnements, et offre des performances de calcul exceptionnelles, assorties d'une sécurité, d'une fiabilité et d'une extensibilité remarquables.

Optimisé par des processeurs Intel® Xeon® Scalable de 4e et 5e génération jusqu'à 64 cœurs[1], par jusqu'à 8 To de mémoire DDR5, PCIe Gen5, une prise en charge améliorée des E/S et des processeurs graphiques, et un stockage EDSFF, le serveur HPE ProLiant ML350 Gen11 répond à une grande variété de charges de travail exigeantes.

La Silicon Root of Trust ancre le microprogramme du serveur dans des circuits intégrés spécifiques à HPE, créant ainsi une empreinte immuable pour les processeurs Intel Xeon Scalable de 4e et 5e génération qui doivent être exactement identique avant le démarrage du serveur.

Le serveur HPE ProLiant ML350 Gen11 constitue un excellent choix pour

serveur HPE Integrated Lights-Out 6 (iLO 6) qui vous permet de configurer, de surveiller et de mettre à jour vos serveurs HPE ProLiant Gen11 en toute sécurité de n'importe où, en toute transparence.

différentes charges de travail telles que l'infrastructure informatique, la gestion des données, la VDI, ERP/CRM. Évoluez et adaptez-vous à n'importe quel environnement avec ce serveur et accélérez la croissance de votre entreprise.

- Compatible avec les options d'amorçage NVMe M.2 à protection RAID1, haute disponibilité, et enfichables à chaud.
- Prise en charge de l'accélérateur graphique NVIDIA RTX 4000 Ada, l'accélérateur L40 48 Go, l'accélérateur A16 64 Go et l'accélérateur L4 24 Go.

Caractéristiques

Une expérience opérationnelle cloud intuitive : Simple, automatisée et en libre-service

Les serveurs HPE ProLiant ML350 Gen11 sont conçus pour votre monde hybride. Les nouveaux serveurs HPE ProLiant Gen11 simplifient la manière dont vous contrôlez l'informatique de votre entreprise, de la périphérie au cloud, avec une expérience de fonctionnement cloud.

Transformez les opérations de votre entreprise et faites passer votre équipe de l'approche réactive à l'approche proactive avec une visibilité et une connaissance globales via une console en libre-service.

Automatisez les tâches pour un déploiement efficace et une évolutivité instantanée, et bénéficiez d'un support et d'une gestion du cycle de vie simplifiés et transparents, réduisant les tâches et les périodes de maintenance.

Ces expériences sont conçues et intégrées dans tous les serveurs HPE ProLiant Gen11, qu'elles soient achetées comme serveurs physiques ou consommées en tant que service via [GreenLake](#) Flex Solutions à mesure que vos besoins en calcul et stockage augmentent.

Simplifiez et sécurisez la gestion de serveur de l'edge au cloud avec [HPE Compute Ops Management](#). HPE Compute Ops Management constitue une expérience de gestion du calcul as-a-service qui offre une simplicité, une agilité et une vitesse supérieures dans l'ensemble de votre architecture de calcul, partout dans le monde.

Sécurité éprouvée par conception : Sans concession, fondamentale et protégée

Le serveur HPE ProLiant ML350 Gen11 s'appuie sur la Silicon Root of Trust pour ancrer le microprogramme d'un ASIC HPE, créant ainsi une empreinte immuable pour le processeur Intel qui doit être exactement identique avant le démarrage du serveur. Cela permet d'assurer le blocage du code malveillant et la protection des serveurs en bon état d'intégrité.

Les serveurs HPE ProLiant Gen11 protègent en permanence l'état d'intégrité des serveurs en périphérie en assurant une détection rapide des serveurs dont la sécurité est compromise. Ils peuvent même initier une non-autorisation de démarrage en identifiant et bloquant le code malveillant, à l'aide de certificats IDevID installés par défaut.

Les serveurs HPE ProLiant Gen11 assurent une reprise automatisée à partir d'un événement de sécurité, y compris la restauration du microprogramme validé, et facilitent la reprise du système d'exploitation, des applications et des connexions de données, en fournissant le chemin le plus rapide pour remettre un serveur en ligne et en fonctionnement normal.

De la couche de silicium au logiciel, de l'usine au cloud, et d'une génération à l'autre, HPE ProLiant Gen11 est conçu suivant une approche de sécurité fondamentale pour assurer une protection contre des menaces de plus en plus complexes en s'engageant sans faire de compromis à apporter des avancées constantes en matière de sécurité, inscrites au cœur de notre ADN.

Performances optimisées pour vos charges de travail : Solution accélérée, ouverte et efficace

Le serveur HPE ProLiant ML350 Gen11 constitue un excellent choix pour les charges de travail exigeantes de calcul et de stockage des données (IA, ML, télécommunications, analyse de Big Data), qui nécessitent un nombre élevé de cœurs, des fonctionnalités de processeur graphique, ainsi qu'une bande passante réseau et E/S.

Tirez parti d'une performance de calcul majeure. Le serveur HPE ProLiant ML350 Gen11 est optimisé par les processeurs Intel® Xeon® Scalable 4e et 5e génération, qui prennent en charge jusqu'à 64 cœurs[1] (128 cœurs par serveur) à un TDP de 350 W.

Profitez d'une amélioration des taux de transfert de données et accélération des vitesses réseau à partir du bus d'extension série PCIe Gen5, avec jusqu'à 4 logements x16 PCIe Gen5 et 2 logements x16 OCP, pour améliorer le débit E/S et réduire la latence.

Utilisez 32 canaux DIMM par processeur pour une mémoire DDR5 pouvant atteindre 8 To avec une bande passante mémoire et des performances accrues ainsi que des besoins énergétiques plus faibles.

Services de pointe et facilité de déploiement

Le serveur HPE ProLiant ML350 Gen11 est livré avec un ensemble complet de services HPE Pointnext, ce qui réduit les risques et aide les clients à gagner en agilité et en stabilité, en toute confiance.

Les services HPE simplifient toutes les étapes de votre parcours informatique. Des professionnels des Services de conseils et de transformation comprenant les défis du client et capables de créer une solution efficace. Les Services professionnels garantissent un déploiement rapide des solutions, et les Services opérationnels offrent une assistance continue.

Les services fournis dans le cadre des Services opérationnels incluent : HPE Flexible Capacity, HPE Datacenter Care, l'automatisation de l'Infrastructure HPE, Campus Care, les services proactifs HPE et une couverture multifournisseurs.

Les solutions d'investissement IT d'HPE vous aident à vous transformer en une entreprise numérique dont les coûts IT sont en ligne avec les objectifs de l'entreprise.

Bénéficiez d'un retour d'informations opérationnelles en temps réel sur les performances du serveur ainsi que des recommandations pour ajuster la configuration du BIOS et la personnaliser en fonction des besoins changeants de votre entreprise.

Caractéristiques techniques	HPE ProLiant ML350 Gen11
Type de processeur	Intel
Famille de processeurs	Processeurs Intel® Xeon® Scalable de 5e génération et processeurs Intel® Xeon® Scalable de 4e génération
Nombre de processeurs	1 ou 2
Noyau processeur disponible	8 à 64 cœurs, selon le processeur.
Vitesse du processeur	3,9 GHz maximum, selon le processeur.
Mémoire cache du processeur	De 22,5 Mo L3 à 320 Mo L3, selon le processeur.
Type de mémoire	HPE DDR5 Smart Memory
Mémoire, maximale	8 To avec module DIMM DDR5 256 Go
Logements pour la mémoire	32 logements DIMM
Fonctions de protection de mémoire	Mode de mémoire ECC supplémentaire en ligne avancée, mode de verrouillage de mémoire
Accélérateurs	Facultatif : Prend en charge l'accélérateur graphique NVIDIA L40/A16/L4/RTX 4000 Ada pour HPE, configuration en attente
Fonctionnalités du ventilateur système	Selon le modèle, en standard 3 ventilateurs, non enfichable à chaud. En option : 5 ventilateurs supplémentaires, enfichables à chaud et redondance N+1. Reportez-vous aux caractéristiques techniques pour plus de détails.
Logements d'extension	2 à 10 logements PCIe Gen5 (2 OCP 3.0). Reportez-vous aux caractéristiques techniques pour plus de détails.
Format	Tour 4U
Contrôleur réseau	Choix d'OCP plus standup en option. Reportez-vous aux caractéristiques techniques pour plus de détails.
Lecteur pris en charge	4 à 12 disques LFF SAS/SATA ou 8 à 24 baies SSD/disques durs SFF SAS/SATA/x1 NVMe ou 8 baies SSD SFF ou 12 baies SSD NVMe EDSFF x4, selon le modèle. Des kits de mise à niveau d'option sont disponibles.
Type du lecteur optique	DVD-ROM ou DVD-RW en option. Jusqu'à 1 RDX demi-hauteur en option. Reportez-vous aux caractéristiques techniques pour plus de détails.
Type d'alimentation électrique	2 modules d'alimentation à logements flexibles maximum, selon le modèle.
Gestion de l'infrastructure	HPE iLO Standard avec Intelligent Provisioning (intégré), HPE OneView Standard (nécessite le téléchargement) HPE iLO Advanced et HPE OneView Advanced (nécessitent des licences) et logiciel HPE Compute Ops Management.

Sécurité physique

Prise en charge du démarrage sécurisé et du démarrage sécurisé UEFI.
Prise en charge des extensions Intel® Software Guard (SGX).
Technologie Silicon Root of Trust immuable.
Prise en charge du module de plateforme sécurisée (TPM) 2.0.
Fonction de verrouillage à clé sur la façade avant, câble de détection d'intrusion (en option), emplacement pour cadenas et prise en charge de l'emplacement pour verrou Kensington.

Garantie

3/3/3 : La garantie serveur comprend une couverture de trois ans pour les pièces, trois ans pour la main-d'œuvre et trois ans de support technique sur site. Des informations supplémentaires concernant la garantie limitée internationale et le support technique sont disponibles à l'adresse https://support.hpe.com/hpesc/public/docDisplay?docId=sd00004309en_us. Un support HPE supplémentaire et une couverture de service pour votre produit peuvent être achetées localement. Pour plus de détails sur la disponibilité et le coût de la mise à niveau des services, consultez le site Web HPE à l'adresse <https://www.hpe.com/support>.

[1] Prise en charge de jusqu'à 64 cœurs avec un processeur Intel de 5e génération et 60 cœurs avec un processeur Intel de 4e génération

[2] La mémoire DDR5 de 5600 MT/s est limitée afin de prendre en charge les mémoires Intel de 5e génération. La vitesse de mémoire maximale est fonction du type de mémoire, de la configuration de la mémoire et du modèle de processeur.

[3] Un logement OCP et deux logements PCIe sur une carte d'extension tertiaire sont partagés avec 3 connecteurs MICO internes.

Comparaison SKU

	HPE ProLiant ML350 Gen11 4410Y 2.0GHz 12-core 1P 32GB-R MR408i-o 8SFF 800W RPS Server (P53566-001)	HPE ProLiant ML350 Gen11 4410Y 2.0GHz 12c 1P 2x32GB-R 8SFF MR408i-o 2x480GB SSD 2x800W PS NA Server (P69310-005)	HPE ProLiant ML350 Gen11 4514Y 2.0GHz 16c 1P 2x32GB-R 8SFF MR408i-o 2x480GB SSD 2x800W PS NA Server (P71688-005)	HPE ProLiant ML350 Gen11 4516Y+ 2.2GHz 24c 1P 2x32GB-R 8SFF MR408i-o 2x960GB SSD 2x800W PS NA Server (P83320-005)	HPE ProLiant ML350 Gen11 5416S 2.0GHz 16c 1P 2x32GB-R 8SFF MR408i-o 2x480GB SSD 2x800W PS NA Server (P69313-005)
Description détaillée du produit	Serveur HPE ProLiant ML350 Gen11 8 SFF avec un processeur Intel® Xeon® Silver 4410Y, 32 Go de mémoire RDIMM DDR5, un contrôleur de stockage HPE MR408i-o et un module d'alimentation HPE Flex Slot de 800 W	Serveur HPE ProLiant ML350 Gen11 8 disques SFF avec un processeur Intel® Xeon® Silver 4410Y, deux modules de mémoire RDIMM DDR5 de 32 Go, un contrôleur de stockage HPE MR408i-o, deux baies SSD de 480 Go et deux modules d'alimentation HPE Flex Slot de 800 W	Serveur HPE ProLiant ML350 Gen11 8 disques SFF avec un processeur Intel® Xeon® Silver 4514Y, deux modules de mémoire RDIMM DDR5 de 32 Go, un contrôleur de stockage HPE MR408i-o, deux baies SSD de 480 Go et deux modules d'alimentation HPE Flex Slot de 800 W	Achetez le programme d'achat HPE Smart Choice : nos serveurs les plus populaires, entièrement configurés et prêts à être expédiés, dès maintenant ! Serveur HPE ProLiant ML350 Gen11 avec un processeur Intel® Xeon® Silver 4516Y+, 64 Go (2x32 Go) de mémoire double rangée, un contrôleur de stockage HPE MR408i-o Gen11 x8 voies 4 Go de mémoire cache OCP SPD, prise en charge de huit lecteurs à petit facteur de forme, un kit de ventilateurs redondants HPE ProLiant Compute ML350 Gen11/Gen12, un kit de ventilateurs pour unité centrale secondaire HPE ProLiant Compute ML350 Gen11/Gen12, deux baies SSD multifournisseurs HPE 960 Go SATA 6G Haut volume de lecture à petit facteur de forme BC, deux kits d'alimentation HPE 800 W Flex Slot Platinum enfichables à chaud à faible teneur en halogène, et garantie	Serveur HPE ProLiant ML350 Gen11 8 disques SFF avec un processeur Intel® Xeon® Gold 5416S, 2 modules de mémoire 32 Go RDIMM DDR5, un contrôleur de stockage HPE MR408i-o, deux baies SSD de 480 Go et deux modules d'alimentation HPE Flex Slot de 800 W

	HPE ProLiant ML350 Gen11 4410Y 2.0GHz 12-core 1P 32GB-R MR408i-o 8SFF 800W RPS Server (P53566-001)	HPE ProLiant ML350 Gen11 4410Y 2.0GHz 12c 1P 2x32GB-R 8SFF MR408i-o 2x480GB SSD 2x800W PS NA Server (P69310-005)	HPE ProLiant ML350 Gen11 4514Y 2.0GHz 16c 1P 2x32GB-R 8SFF MR408i-o 2x480GB SSD 2x800W PS NA Server (P71688-005)	HPE ProLiant ML350 Gen11 4516Y+ 2.2GHz 24c 1P 2x32GB-R 8SFF MR408i-o 2x960GB SSD 2x800W PS NA Server (P83320-005)	HPE ProLiant ML350 Gen11 5416S 2.0GHz 16c 1P 2x32GB-R 8SFF MR408i-o 2x480GB SSD 2x800W PS NA Server (P69313-005)
	3/3/3				
Nom du processeur	Intel® Xeon® Silver 4410Y (12 cœurs, 2,00 GHz, 30 Mo de mémoire cache L3, 150 W)	Intel® Xeon® Silver 4410Y (12 cœurs, 2,00 GHz, 30 Mo de mémoire cache L3, 150 W)	Processeur Intel® Xeon® Silver 4514Y (16 cœurs, 2,00 GHz, 30 Mo L3, 150 W)	Intel® Xeon® Silver 4516Y+ (24 cœurs, 2,20 GHz, 45 Mo de mémoire cache L3, 185 W)	Intel® Xeon® Gold 5416S (16 cœurs, 2,00 GHz, 30 Mo de mémoire cache L3, 150 W)
Nombre de processeurs	1 processeur inclus				
Noyau processeur disponible	12 cœurs	12 cœurs	16 cœurs	24 cœurs	16 cœurs
Vitesse du processeur	2,00 GHz	2,00 GHz	2,00 GHz	2,20 GHz	2,00 GHz
Mémoire cache du processeur	30 Mo L3	30 Mo L3	30 Mo L3	45 Mo L3	30 Mo L3
Type de mémoire	Smart Kit HPE 32 Go 2Rx8 PC5-4800B-R	HPE DDR5 Smart Memory	HPE DDR5 Smart Memory	HPE DDR5 Smart Memory	HPE DDR5 Smart Memory
Mémoire incluse	R-DIMM 32 Go	R-DIMM 64 Go	R-DIMM 64 Go	64 Go (2x32 Go, 5 600 MT/s)	R-DIMM 64 Go
Accélérateurs	Facultatif : Prend en charge l'accélérateur graphique NVIDIA L40/A16/L4/RTX 4000 Ada pour HPE, configuration en attente				

	HPE ProLiant ML350 Gen11 4410Y 2.0GHz 12-core 1P 32GB-R MR408i-o 8SFF 800W RPS Server (P53566-001)	HPE ProLiant ML350 Gen11 4410Y 2.0GHz 12c 1P 2x32GB-R 8SFF MR408i-o 2x480GB SSD 2x800W PS NA Server (P69310-005)	HPE ProLiant ML350 Gen11 4514Y 2.0GHz 16c 1P 2x32GB-R 8SFF MR408i-o 2x480GB SSD 2x800W PS NA Server (P71688-005)	HPE ProLiant ML350 Gen11 4516Y+ 2.2GHz 24c 1P 2x32GB-R 8SFF MR408i-o 2x960GB SSD 2x800W PS NA Server (P83320-005)	HPE ProLiant ML350 Gen11 5416S 2.0GHz 16c 1P 2x32GB-R 8SFF MR408i-o 2x480GB SSD 2x800W PS NA Server (P69313-005)
Fonctionnalités du ventilateur système	Par défaut avec 3 ventilateurs standard, non enfichables à chaud. Le deuxième kit de ventilateur pour unité centrale en option (P47902-B21) et le kit de ventilateur redondant (P47219-B21) offrent des fonctionnalités avancées de refroidissement et de redondance dans les configurations plus lourdes.	Par défaut avec 3 ventilateurs standard, non enfichables à chaud. Le deuxième kit de ventilateur pour unité centrale en option (P47902-B21) et le kit de ventilateur redondant (P47219-B21) offrent des fonctionnalités avancées de refroidissement et de redondance dans les configurations plus lourdes.	Par défaut avec 8 ventilateurs avec fonctionnalité de redondance pour fournir un refroidissement avancé dans les configurations plus lourdes.	8 ventilateurs standard	Par défaut avec 8 ventilateurs avec fonctionnalité de redondance pour fournir un refroidissement avancé dans les configurations plus lourdes.
Logements d'extension	Par défaut avec 4 x8 logements PCIe 5.0. Reportez-vous aux caractéristiques techniques pour plus de détails.	Par défaut avec 4 x8 logements PCIe 5.0. Reportez-vous aux caractéristiques techniques pour plus de détails.	Par défaut avec 4 x8 logements PCIe 5.0. Reportez-vous aux caractéristiques techniques pour plus de détails.	2 à 10 logements PCIe Gen5 (2 OCP 3.0). Reportez-vous aux caractéristiques techniques pour plus de détails.	Par défaut avec 4 x8 logements PCIe 5.0. Reportez-vous aux caractéristiques techniques pour plus de détails.
Format	Tour 4U				
Contrôleur réseau	Adaptateur Broadcom BCM5719 Ethernet 1Gb 4 ports BASE-T OCP3 pour HPE				
Contrôleur de stockage	Contrôleur de stockage HPE MR408i-o Gen11 x8 voies 4 Go de mémoire cache OCP SPD				
Lecteurs inclus	Aucun en livraison standard, 8 lecteurs petit facteur de forme pris en charge	Baie SSD : 2 x 480 Go SATA	Baie SSD : 2 x 480 Go SATA	2 baies SSD multifournisseur HPE 960 Go SATA 6G Haut volume de lecture Petit facteur de forme BC	Baie SSD : 2 x 480 Go SATA

	HPE ProLiant ML350 Gen11 4410Y 2.0GHz 12-core 1P 32GB-R MR408i-o 8SFF 800W RPS Server (P53566-001)	HPE ProLiant ML350 Gen11 4410Y 2.0GHz 12c 1P 2x32GB-R 8SFF MR408i-o 2x480GB SSD 2x800W PS NA Server (P69310-005)	HPE ProLiant ML350 Gen11 4514Y 2.0GHz 16c 1P 2x32GB-R 8SFF MR408i-o 2x480GB SSD 2x800W PS NA Server (P71688-005)	HPE ProLiant ML350 Gen11 4516Y+ 2.2GHz 24c 1P 2x32GB-R 8SFF MR408i-o 2x960GB SSD 2x800W PS NA Server (P83320-005)	HPE ProLiant ML350 Gen11 5416S 2.0GHz 16c 1P 2x32GB-R 8SFF MR408i-o 2x480GB SSD 2x800W PS NA Server (P69313-005)
Type du lecteur optique	En option. Aucun n'est de série.	En option. Aucun n'est de série.	En option. Aucun n'est de série.	DVD-ROM ou DVD-RW en option. Jusqu'à 1 RDX demi-hauteur en option. Reportez-vous aux caractéristiques techniques pour plus de détails.	En option. Aucun n'est de série.
Type d'alimentation électrique	1 kit d'alimentation HPE Flex Slot Platinum enfichable à chaud à faible teneur en halogène 800 W	2 kits d'alimentation HPE Flex Slot Platinum enfichables à chaud à faible teneur en halogène 800 W	2 kits d'alimentation HPE Flex Slot Platinum enfichables à chaud à faible teneur en halogène 800 W	2 kits d'alimentation HPE Flex Slot Platinum enfichables à chaud à faible teneur en halogène 800 W	2 kits d'alimentation HPE Flex Slot Platinum enfichables à chaud à faible teneur en halogène 800 W
Gestion de l'infrastructure	HPE iLO Standard avec Intelligent Provisioning (intégré), HPE OneView Standard (nécessite le téléchargement); HPE iLO Advanced et HPE OneView Advanced (nécessitent des licences) et logiciel HPE Compute Ops Management.				
Sécurité physique	Prise en charge du démarrage sécurisé et du démarrage sécurisé UEFI. Prise en charge des extensions Intel® Software Guard (SGX). Technologie Silicon Root of Trust immuable. Prise en charge du module de plateforme sécurisée (TPM) 2.0. Fonction de verrouillage à clé sur la façade avant, câble de détection d'intrusion (en option), emplacement pour cadenas et prise en charge de l'emplacement pour verrou Kensington.	Prise en charge du démarrage sécurisé et du démarrage sécurisé UEFI. Prise en charge des extensions Intel® Software Guard (SGX). Technologie Silicon Root of Trust immuable. Prise en charge du module de plateforme sécurisée (TPM) 2.0. Fonction de verrouillage à clé sur la façade avant, câble de détection d'intrusion (inclus), emplacement pour cadenas et prise en charge de l'emplacement pour verrou Kensington.	Prise en charge du démarrage sécurisé et du démarrage sécurisé UEFI. Prise en charge des extensions Intel® Software Guard (SGX). Technologie Silicon Root of Trust immuable. Prise en charge du module de plateforme sécurisée (TPM) 2.0. Fonction de verrouillage à clé sur la façade avant, câble de détection d'intrusion (inclus), emplacement pour cadenas et prise en charge de l'emplacement pour verrou Kensington.	Prise en charge du démarrage sécurisé et du démarrage sécurisé UEFI. Prise en charge des extensions Intel® Software Guard (SGX). Technologie Silicon Root of Trust immuable. Prise en charge du module de plateforme sécurisée (TPM) 2.0. Fonction de verrouillage à clé sur la façade avant, câble de détection d'intrusion (en option), emplacement pour cadenas et prise en charge de l'emplacement pour verrou Kensington.	Prise en charge du démarrage sécurisé et du démarrage sécurisé UEFI. Prise en charge des extensions Intel® Software Guard (SGX). Technologie Silicon Root of Trust immuable. Prise en charge du module de plateforme sécurisée (TPM) 2.0. Fonction de verrouillage à clé sur la façade avant, câble de détection d'intrusion (inclus), emplacement pour cadenas et prise en charge de l'emplacement pour verrou Kensington.

	HPE ProLiant ML350 Gen11 4410Y 2.0GHz 12-core 1P 32GB-R MR408i-o 8SFF 800W RPS Server (P53566-001)	HPE ProLiant ML350 Gen11 4410Y 2.0GHz 12c 1P 2x32GB-R 8SFF MR408i-o 2x480GB SSD 2x800W PS NA Server (P69310-005)	HPE ProLiant ML350 Gen11 4514Y 2.0GHz 16c 1P 2x32GB-R 8SFF MR408i-o 2x480GB SSD 2x800W PS NA Server (P71688-005)	HPE ProLiant ML350 Gen11 4516Y+ 2.2GHz 24c 1P 2x32GB-R 8SFF MR408i-o 2x960GB SSD 2x800W PS NA Server (P83320-005)	HPE ProLiant ML350 Gen11 5416S 2.0GHz 16c 1P 2x32GB-R 8SFF MR408i-o 2x480GB SSD 2x800W PS NA Server (P69313-005)
Garantie	3/3/3 : La garantie serveur comprend une couverture de trois ans pour les pièces, trois ans pour la main-d'œuvre et trois ans de support technique sur site. Des informations supplémentaires concernant la garantie limitée internationale et le support technique sont disponibles à l'adresse https://support.hpe.com/hpesc/public/docDisplay?docId=sd00004309en_us . Un support HPE supplémentaire et une couverture de service pour votre produit peuvent être achetées localement. Pour plus de détails sur la disponibilité et le coût de la mise à niveau des services, consultez le site Web HPE à l'adresse https://www.hpe.com/support .				
Poids	32,83 kg		43,26 kg		
Dimensions du produit (mesure métrique)	58,42 x 98,43 x 30,48 cm		30,48 x 58,42 x 98,43 cm		

Options associées

Les options suivantes sont disponibles pour ces séries:

SKU	Description
-----	-------------

Accélérateurs

P39102-B21	HPE ProLiant DL300 Gen10 Plus GPU 8-pin Keyed Cable Kit
P47221-B21	HPE ProLiant ML350 12(8+4)-pin/16-pin Cable Kit for NVIDIA GPU

Accélérateurs de serveurs

R8T26C	NVIDIA A16 64GB PCIe Non-CEC Accelerator for HPE
--------	--

Adaptateurs

P51178-B21	Broadcom BCM5719 Ethernet 1Gb 4-port BASE-T Adapter for HPE
P51181-B21	Broadcom BCM5719 Ethernet 1Gb 4-port BASE-T OCP3 Adapter for HPE
P26259-B21	Broadcom BCM57412 Ethernet 10Gb 2-port SFP+ Adapter for HPE
P26256-B21	Broadcom BCM57412 Ethernet 10Gb 2-port SFP+ OCP3 Adapter for HPE
P26262-B21	Broadcom BCM57414 Ethernet 10/25Gb 2-port SFP28 Adapter for HPE
P10115-B21	Broadcom BCM57414 Ethernet 10/25Gb 2-port SFP28 OCP3 Adapter for HPE
P26253-B21	Broadcom BCM57416 Ethernet 10Gb 2-port BASE-T Adapter for HPE
P10097-B21	Broadcom BCM57416 Ethernet 10Gb 2-port BASE-T OCP3 Adapter for HPE
P26264-B21	Broadcom BCM57504 Ethernet 10/25Gb 4-port SFP28 Adapter for HPE
P26269-B21	Broadcom BCM57504 Ethernet 10/25Gb 4-port SFP28 OCP3 Adapter for HPE
R2J62A	HPE SN1610E 32Gb 1-port Fibre Channel Host Bus Adapter
R2J63A	HPE SN1610E 32Gb 2-port Fibre Channel Host Bus Adapter
R2E08A	HPE SN1610Q 32Gb 1-port Fibre Channel Host Bus Adapter
R2E09A	HPE SN1610Q 32Gb 2-port Fibre Channel Host Bus Adapter
R7N77A	HPE SN1700E 64Gb 1-port Fibre Channel Host Bus Adapter
R7N78A	HPE SN1700E 64Gb 2-port Fibre Channel Host Bus Adapter
R7N86A	HPE SN1700Q 64Gb 1-port Fibre Channel Host Bus Adapter
R7N87A	HPE SN1700Q 64Gb 2-port Fibre Channel Host Bus Adapter
P21112-B21	Intel E810-CQDA2 Ethernet 100Gb 2-port QSFP28 Adapter for HPE
P22767-B21	Intel E810-CQDA2 Ethernet 100Gb 2-port QSFP28 OCP3 Adapter for HPE
P08443-B21	Intel E810-XXVDA2 Ethernet 10/25Gb 2-port SFP28 Adapter for HPE
P10106-B21	Intel E810-XXVDA2 Ethernet 10/25Gb 2-port SFP28 OCP3 Adapter for HPE
P08458-B21	Intel E810-XXVDA4 Ethernet 10/25Gb 4-port SFP28 Adapter for HPE
P21106-B21	Intel I350-T4 Ethernet 1Gb 4-port BASE-T Adapter for HPE

P08449-B21	Intel I350-T4 Ethernet 1Gb 4-port BASE-T OCP3 Adapter for HPE
P42044-B21	Mellanox MCX631102AS-ADAT Ethernet 10/25Gb 2-port SFP28 Adapter for HPE
P42041-B21	Mellanox MCX631432AS-ADAI Ethernet 10/25Gb 2-port SFP28 OCP3 Adapter for HPE
S2A69A	NVIDIA Ethernet 10/25Gb 2-port SFP28 NVMe-oF Crypto Adapter for HPE
R8M41A	NVIDIA Ethernet 100Gb 2-port NVMe-oF Offload Adapter for HPE

Batteries/Chargeurs

P02381-B21	HPE Smart Storage Hybrid Capacitor with 260mm Cable Kit
------------	---

Périphériques de démarrage

P48183-B21	HPE NS204i-u Gen11 NVMe Hot Plug Boot Optimized Storage Device
P81160-B21	HPE NS204i-u v2 960GB NVMe Hot Plug Boot Optimized Storage Device
P81162-B21	HPE NS204i-u v2 960GB NVMe SED Hot Plug Boot Optimized Storage Device

Cartes adaptatrices de connexion/Extenseurs

P47238-B21	HPE ProLiant Compute ML350 Gen11/Gen12 2x16 Secondary Riser Kit
P48407-B21	HPE ProLiant Compute ML350 Gen11/Gen12 4x8 Secondary Riser Kit
P49693-B21	HPE ProLiant ML350 Gen11 2x8 Tertiary Riser Kit

Certificats/licences

Q2A48A	HPE Performance Message Passing Interface for 1 Socket 3yr Support LTU
--------	--

Cloud privé ou hybride

S7P79AAE	HPE Compute Ops Management Advanced 3-year SaaS for Smart Choice
S7P80AAE	HPE Compute Ops Management Advanced 5-year SaaS for Smart Choice
S7P81AAE	HPE Compute Ops Management Advanced 7-year SaaS for Smart Choice
R6Z73AAE	HPE Compute Ops Management Base SaaS
R7A10AAE	HPE Compute Ops Management Standard 1-year Upfront ProLiant SaaS
S7P76AAE	HPE Compute Ops Management Standard 3-year SaaS for Smart Choice
R7A11AAE	HPE Compute Ops Management Standard 3-year Upfront ProLiant SaaS
S7P77AAE	HPE Compute Ops Management Standard 5-year SaaS for Smart Choice
R7A12AAE	HPE Compute Ops Management Standard 5-year Upfront ProLiant SaaS
S7P78AAE	HPE Compute Ops Management Standard 7-year SaaS for Smart Choice

Commutateurs

R9W89A	HPE Aruba Networking CX 8100 24x10G Base-T 4x10G SFP+ 4x40/100G QSFP28 BF 3Fan 2AC PSU Sw Bdl
R9W88A	HPE Aruba Networking CX 8100 24x10G Base-T 4x10G SFP+ 4x40/100G QSFP28 FB 3Fan 2AC PSU Sw Bdl
R9W93A	HPE Aruba Networking CX 8100 40x10G Base-T 8x10G SFP+ 4x40/100G QSFP28 BF 3F 2AC PSU Switch Bdl

R9W92A	HPE Aruba Networking CX 8100 40x10G Base-T 8x10G SFP+ 4x40/100G QSFP28 FB 3F 2AC PSU Sw Bdl
JL625A	HPE Aruba Networking CX 8325-48Y8C 48p 25G SFP+/+28 8p 100G QSFP+/28 BF 6 Fans 2 PSU Bundle
JL624A	HPE Aruba Networking CX 8325-48Y8C 48p 25G SFP+/+28 8p 100G QSFP+/28 FB 6 Fans 2 PSU Bundle
S4B21A	HPE Aruba Networking CX 8325H 18p SFP28 25G 4p QSFP28 100G Back-to-Front 4xFan 2xPSU Switch
S4B20A	HPE Aruba Networking CX 8325H 18p SFP28 25G 4p QSFP28 100G Front-to-Back 4xFan 2xPSU Switch

Contrôleur/Options de contrôleur

P65042-B21	HPE 16W Smart Hybrid Capacitor with 260mm Cable
P01366-B21	HPE 96W Smart Storage Lithium-ion Battery with 145mm Cable Kit
P01367-B21	HPE 96W Smart Storage Lithium-ion Battery with 260mm Cable Kit
P47789-B21	HPE MR216i-o Gen11 x16 Lanes without Cache OCP SPDM Storage Controller
P47785-B21	HPE MR216i-p Gen11 x16 Lanes without Cache PCI SPDM Plug-in Storage Controller
P58335-B21	HPE MR408i-o Gen11 x8 Lanes 4GB Cache OCP SPDM Storage Controller
P74775-B21	HPE MR408i-p Gen11 x8 Lanes 4GB Cache PCI SPDM Plug-in Storage Controller
P47781-B21	HPE MR416i-o Gen11 x16 Lanes 8GB Cache OCP SPDM Storage Controller
P47777-B21	HPE MR416i-p Gen11 x16 Lanes 8GB Cache PCI SPDM Plug-in Storage Controller
804398-B21	HPE Smart Array E208e-p SR Gen10 (8 External Lanes/No Cache) 12G SAS PCIe Plug-in Controller
P02377-B21	HPE Smart Storage Hybrid Capacitor with 145mm Cable Kit

Câbles/kits de câblage

P22173-B21	HPE 1600W -48VDC 600V 3.5m Power Cable Kit
487655-B21	HPE BladeSystem c-Class 10GbE SFP+ to SFP+ 3m Direct Attach Copper Cable
A0K02A	HPE C13 - C14 WW 250V 10Amp 2.0m Jumper Cord
AF573A	HPE C13 - C14 WW 250V 10Amp Flint Gray 2.0m Jumper Cord
AJ833A	HPE LC to LC Multi-mode OM3 2-Fiber 0.5m 1-Pack Fiber Optic Cable
AJ834A	HPE LC to LC Multi-mode OM3 2-Fiber 1.0m 1-Pack Fiber Optic Cable
AJ836A	HPE LC to LC Multi-mode OM3 2-Fiber 5.0m 1-Pack Fiber Optic Cable
AJ837A	HPE LC to LC Multi-mode OM3 2-Fiber 15.0m 1-Pack Fiber Optic Cable
AJ838A	HPE LC to LC Multi-mode OM3 2-Fiber 30.0m 1-Pack Fiber Optic Cable
AJ839A	HPE LC to LC Multi-mode OM3 2-Fiber 50.0m 1-Pack Fiber Optic Cable
P47235-B21	HPE ProLiant Compute ML350 Gen11/Gen12 8SFF x1 OROC Box 2/3 Cable Kit
P55062-B21	HPE ProLiant Compute ML350 Gen11/Gen12 Serial Port Cable Kit
P58199-B21	HPE ProLiant Compute ML350 Gen11/Gen12 Smart Storage Battery Cable Kit
P47226-B21	HPE ProLiant Compute ML Gen11/Gen12 Intrusion Cable Kit
P47225-B21	HPE ProLiant ML350 Gen11 LFF Embedded SATA Cable Kit
P47229-B21	HPE ProLiant ML350 Gen11 LFF OROC Cable Kit
P47227-B21	HPE ProLiant ML350 Gen11 LFF SAS/SATA PCIe Controller Cable Kit

P48403-B21	HPE ProLiant ML350 Gen11 NS204i-u Enablement Kit
P47230-B21	HPE ProLiant ML350 Gen11 OCP1 Enablement Kit
P47231-B21	HPE ProLiant ML350 Gen11 OCP2 Enablement Kit
P47232-B21	HPE ProLiant ML350 Gen11 SFF Embedded SATA Cable Kit
P47233-B21	HPE ProLiant ML350 Gen11 SFF Tri-Mode PCIe Controller Cable Kit

Disques et stockage

P28586-B21	HPE 1.2TB SAS 12G Mission Critical 10K SFF BC 3-year Warranty Multi Vendor HDD
P28622-B21	HPE 1.2TB SAS 12G Mission Critical 10K SFF BC 3yr Wty FIPS 140-2 TAA-compliant HDD
P63845-B21	HPE 1.6TB NVMe Gen4 High Performance Mixed Use SFF BC U.3 CM7 SSD
P91237-B21	HPE 1.6TB NVMe Gen4 High Performance Mixed Use SFF BC U.3 Multi Vendor SSD
P50227-B21	HPE 1.6TB NVMe Gen4 High Performance Mixed Use SFF BC U.3 PM1735a SSD
P85662-B21	HPE 1.6TB NVMe Gen4 High Performance Mixed Use SFF BC U.3 PQC27 CM9 SSD
P61043-B21	HPE 1.6TB NVMe Gen4 High Performance Mixed Use SFF BC U.3 Self-encrypting FIPS 140-3 CM7 SSD
P65007-B21	HPE 1.6TB NVMe Gen4 Mainstream Performance Mixed Use SFF BC U.3 Static V2 Multi Vendor SSD
P49049-B21	HPE 1.6TB SAS 24G Mixed Use SFF BC Multi Vendor SSD
P83344-B21	HPE 1.6TB SAS Mixed Use SFF BC Self-encrypting FIPS 140-3 PM7 SSD
P53562-B21	HPE 1.8TB SAS 12G Mission Critical 10K SFF BC 3-year Warranty 512e Multi Vendor HDD
P63829-B21	HPE 1.92TB NVMe Gen4 High Performance Read Intensive SFF BC U.3 CM7 SSD
P91243-B21	HPE 1.92TB NVMe Gen4 High Performance Read Intensive SFF BC U.3 Multi Vendor SSD
P50216-B21	HPE 1.92TB NVMe Gen4 High Performance Read Intensive SFF BC U.3 PM1733a SSD
P61019-B21	HPE 1.92TB NVMe Gen4 High Performance Read Intensive SFF BC U.3 Self-encrypting FIPS 140-3 CM7 SSD
P64844-B21	HPE 1.92TB NVMe Gen4 Mainstream Performance Read Intensive SFF BC U.3 Static V2 Multi Vendor SSD
P40511-B21	HPE 1.92TB SAS 12G Mixed Use SFF BC Value SAS Multi Vendor SSD
P40507-B21	HPE 1.92TB SAS 12G Read Intensive SFF BC Value SAS Multi Vendor SSD
P49031-B21	HPE 1.92TB SAS 24G Read Intensive SFF BC Multi Vendor SSD
P40504-B21	HPE 1.92TB SATA 6G Mixed Use SFF BC Multi Vendor SSD
P40499-B21	HPE 1.92TB SATA 6G Read Intensive SFF BC Multi Vendor SSD
861686-B21	HPE 1TB SATA 6G Business Critical 7.2K LFF LP 1-year Warranty Multi Vendor HDD
P28352-B21	HPE 2.4TB SAS 12G Mission Critical 10K SFF BC 3-year Warranty 512e Multi Vendor HDD
P28618-B21	HPE 2.4TB SAS 12G Mission Critical 10K SFF BC 3yr Wty 512e FIPS 140-2 TAA-compliant HDD
861681-B21	HPE 2TB SATA 6G Business Critical 7.2K LFF LP 1-year Warranty Multi Vendor HDD
P63849-B21	HPE 3.2TB NVMe Gen4 High Performance Mixed Use SFF BC U.3 CM7 SSD
P91239-B21	HPE 3.2TB NVMe Gen4 High Performance Mixed Use SFF BC U.3 Multi Vendor SSD
P50230-B21	HPE 3.2TB NVMe Gen4 High Performance Mixed Use SFF BC U.3 PM1735a SSD
P85664-B21	HPE 3.2TB NVMe Gen4 High Performance Mixed Use SFF BC U.3 PQC27 CM9 SSD

P70426-B21	HPE 3.2TB NVMe Gen4 High Performance Mixed Use SFF BC U.3 PS1030 SSD
P61051-B21	HPE 3.2TB NVMe Gen4 High Performance Mixed Use SFF BC U.3 Self-encrypting FIPS 140-3 CM7 SSD
P78801-B21	HPE 3.2TB NVMe Gen4 High Performance Mixed Use SFF BC U.3 Static PM1755 SSD
P65015-B21	HPE 3.2TB NVMe Gen4 Mainstream Performance Mixed Use SFF BC U.3 Static V2 Multi Vendor SSD
P70399-B21	HPE 3.2TB NVMe Gen5 High Performance Mixed Use E3S EC1 PS1030 SSD
P49053-B21	HPE 3.2TB SAS 24G Mixed Use SFF BC Multi Vendor SSD
P41403-B21	HPE 3.84TB NVMe Gen4 High Performance Read Intensive SFF BC Self-encrypting FIPS U.3 CM6 SSD
P63833-B21	HPE 3.84TB NVMe Gen4 High Performance Read Intensive SFF BC U.3 CM7 SSD
P91245-B21	HPE 3.84TB NVMe Gen4 High Performance Read Intensive SFF BC U.3 Multi Vendor SSD
P50219-B21	HPE 3.84TB NVMe Gen4 High Performance Read Intensive SFF BC U.3 PM1733a SSD
P61027-B21	HPE 3.84TB NVMe Gen4 High Performance Read Intensive SFF BC U.3 Self-encrypting FIPS 140-3 CM7 SSD
P78806-B21	HPE 3.84TB NVMe Gen4 High Performance Read Intensive SFF BC U.3 Static PM1753 SSD
P84244-B21	HPE 3.84TB NVMe Gen4 Mainstream Performance Read Intensive SFF BC U.3 SPDM 7500 SSD
P64846-B21	HPE 3.84TB NVMe Gen4 Mainstream Performance Read Intensive SFF BC U.3 Static V2 Multi Vendor SSD
P63930-B21	HPE 3.84TB NVMe Gen4 Mainstream Performance Very Read Optimized E3S EC1 EDSFF P5430 SSD
P57799-B21	HPE 3.84TB NVMe Gen5 High Performance Read Intensive E3S EC1 EDSFF SPDM PM1743 SSD
P70392-B21	HPE 3.84TB NVMe Gen5 High Performance Read Intensive E3S EC1 PS1010 SSD
P40512-B21	HPE 3.84TB SAS 12G Mixed Use SFF BC Value SAS Multi Vendor SSD
P40508-B21	HPE 3.84TB SAS 12G Read Intensive SFF BC Value SAS Multi Vendor SSD
P49035-B21	HPE 3.84TB SAS 24G Read Intensive SFF BC Multi Vendor SSD
P83347-B21	HPE 3.84TB SAS Read Intensive SFF BC Self-encrypting FIPS 140-3 PM7 SSD
P40505-B21	HPE 3.84TB SATA 6G Mixed Use SFF BC Multi Vendor SSD
P40500-B21	HPE 3.84TB SATA 6G Read Intensive SFF BC Multi Vendor SSD
833928-B21	HPE 4TB SAS 12G Business Critical 7.2K LFF LP 1-year Warranty Multi Vendor HDD
861683-B21	HPE 4TB SATA 6G Business Critical 7.2K LFF LP 1-year Warranty Multi Vendor HDD
P63853-B21	HPE 6.4TB NVMe Gen4 High Performance Mixed Use SFF BC U.3 CM7 SSD
P91241-B21	HPE 6.4TB NVMe Gen4 High Performance Mixed Use SFF BC U.3 Multi Vendor SSD
P50233-B21	HPE 6.4TB NVMe Gen4 High Performance Mixed Use SFF BC U.3 PM1735a SSD
P85666-B21	HPE 6.4TB NVMe Gen4 High Performance Mixed Use SFF BC U.3 PQC27 CM9 SSD
P70428-B21	HPE 6.4TB NVMe Gen4 High Performance Mixed Use SFF BC U.3 PS1030 SSD
P61059-B21	HPE 6.4TB NVMe Gen4 High Performance Mixed Use SFF BC U.3 Self-encrypting FIPS 140-3 CM7 SSD
P78804-B21	HPE 6.4TB NVMe Gen4 High Performance Mixed Use SFF BC U.3 Static PM1755 SSD
P65023-B21	HPE 6.4TB NVMe Gen4 Mainstream Performance Mixed Use SFF BC U.3 Static V2 Multi Vendor SSD
P70401-B21	HPE 6.4TB NVMe Gen5 High Performance Mixed Use E3S EC1 PS1030 SSD
P49057-B21	HPE 6.4TB SAS 24G Mixed Use SFF BC Multi Vendor SSD

861742-B21	HPE 6TB SATA 6G Business Critical 7.2K LFF LP 1-year Warranty 512e Multi Vendor HDD
P63837-B21	HPE 7.68TB NVMe Gen4 High Performance Read Intensive SFF BC U.3 CM7 SSD
P91247-B21	HPE 7.68TB NVMe Gen4 High Performance Read Intensive SFF BC U.3 Multi Vendor SSD
P50222-B21	HPE 7.68TB NVMe Gen4 High Performance Read Intensive SFF BC U.3 PM1733a SSD
P70434-B21	HPE 7.68TB NVMe Gen4 High Performance Read Intensive SFF BC U.3 PS1010 SSD
P61035-B21	HPE 7.68TB NVMe Gen4 High Performance Read Intensive SFF BC U.3 Self-encrypting FIPS 140-3 CM7 SSD
P78808-B21	HPE 7.68TB NVMe Gen4 High Performance Read Intensive SFF BC U.3 Static PM1753 SSD
P84242-B21	HPE 7.68TB NVMe Gen4 Mainstream Performance Read Intensive SFF BC U.3 SPDM 7500 SSD
P64848-B21	HPE 7.68TB NVMe Gen4 Mainstream Performance Read Intensive SFF BC U.3 Static V2 Multi Vendor SSD
P63934-B21	HPE 7.68TB NVMe Gen4 Mainstream Performance Very Read Optimized E3S EC1 EDSFF P5430 SSD
P57803-B21	HPE 7.68TB NVMe Gen5 High Performance Read Intensive E3S EC1 EDSFF SPDM PM1743 SSD
P70395-B21	HPE 7.68TB NVMe Gen5 High Performance Read Intensive E3S EC1 PS1010 SSD
P40509-B21	HPE 7.68TB SAS 12G Read Intensive SFF BC Value SAS Multi Vendor SSD
P49041-B21	HPE 7.68TB SAS 24G Read Intensive SFF BC Multi Vendor SSD
P40501-B21	HPE 7.68TB SATA 6G Read Intensive SFF BC Multi Vendor SSD
834031-B21	HPE 8TB SAS 12G Business Critical 7.2K LFF LP 1-year Warranty 512e Multi Vendor HDD
834028-B21	HPE 8TB SATA 6G Business Critical 7.2K LFF LP 1-year Warranty 512e Multi Vendor HDD
P70403-B21	HPE 12.8TB NVMe Gen5 High Performance Mixed Use E3S EC1 PS1030 SSD
881781-B21	HPE 12TB SAS 12G Business Critical 7.2K LFF LP 1-year Warranty Helium 512e Multi Vendor HDD
881787-B21	HPE 12TB SATA 6G Business Critical 7.2K LFF LP 1-year Warranty Helium 512e Multi Vendor HDD
P63841-B21	HPE 15.36TB NVMe Gen4 High Performance Read Intensive SFF BC U.3 CM7 SSD
P91249-B21	HPE 15.36TB NVMe Gen4 High Performance Read Intensive SFF BC U.3 Multi Vendor SSD
P50224-B21	HPE 15.36TB NVMe Gen4 High Performance Read Intensive SFF BC U.3 PM1733a SSD
P70436-B21	HPE 15.36TB NVMe Gen4 High Performance Read Intensive SFF BC U.3 PS1010 SSD
P78810-B21	HPE 15.36TB NVMe Gen4 High Performance Read Intensive SFF BC U.3 Static PM1753 SSD
P84236-B21	HPE 15.36TB NVMe Gen4 Mainstream Performance Read Intensive BC U.3 Static V2 SPDM Multi Vendor SSD
P84239-B21	HPE 15.36TB NVMe Gen4 Mainstream Performance Read Intensive SFF BC U.3 SPDM 7500b SSD
P63938-B21	HPE 15.36TB NVMe Gen4 Mainstream Performance Very Read Optimized E3S EC1 EDSFF P5430 SSD
P57807-B21	HPE 15.36TB NVMe Gen5 High Performance Read Intensive E3S EC1 EDSFF SPDM PM1743 SSD
P70397-B21	HPE 15.36TB NVMe Gen5 High Performance Read Intensive E3S EC1 PS1010 SSD
P49045-B21	HPE 15.36TB SAS 24G Read Intensive SFF BC Multi Vendor SSD
P23608-B21	HPE 16TB SAS 12G Business Critical 7.2K LFF LP 1-year Warranty Helium 512e ISE Multi Vendor HDD
P23449-B21	HPE 16TB SATA 6G Business Critical 7.2K LFF LP 1-year Warranty Helium 512e ISE Multi Vendor HDD
P53553-B21	HPE 20TB SAS 12G Business Critical 7.2K LFF LP 1-year Warranty Helium 512e ISE Multi Vendor HDD
P53554-B21	HPE 20TB SATA 6G Business Critical 7.2K LFF LP 1-year Warranty Helium 512e ISE Multi Vendor HDD

P68583-B21	HPE 24TB SAS 12G Business Critical 7.2K LFF LP 1-year Warranty Helium 512e ISE Multi Vendor HDD
P68585-B21	HPE 24TB SATA 6G Business Critical 7.2K LFF LP 1-year Warranty Helium 512e ISE Multi Vendor HDD
P80577-B21	HPE 26TB SAS 12G Business Critical 7.2K LFF LP 1-year Warranty Helium 512e ISE Multi Vendor HDD
P80578-B21	HPE 26TB SATA 6G Business Critical 7.2K LFF LP 1-year Warranty Helium 512e ISE Multi Vendor HDD
P40496-B21	HPE 240GB SATA 6G Read Intensive SFF BC Multi Vendor SSD
P40430-B21	HPE 300GB SAS 12G Mission Critical 10K SFF BC 3-year Warranty Multi Vendor HDD
P40502-B21	HPE 480GB SATA 6G Mixed Use SFF BC Multi Vendor SSD
P40497-B21	HPE 480GB SATA 6G Read Intensive SFF BC Multi Vendor SSD
P58236-B21	HPE 480GB SATA 6G Read Intensive SFF BC Self-encrypting 5400P SSD
P53561-B21	HPE 600GB SAS 12G Mission Critical 10K SFF BC 3-year Warranty Multi Vendor HDD
P64999-B21	HPE 800GB NVMe Gen4 Mainstream Performance Mixed Use SFF BC U.3 Static V2 Multi Vendor SSD
P49047-B21	HPE 800GB SAS 24G Mixed Use SFF BC Multi Vendor SSD
P64842-B21	HPE 960GB NVMe Gen4 Mainstream Performance Read Intensive SFF BC U.3 Static V2 Multi Vendor SSD
P37009-B21	HPE 960GB SAS 12G Mixed Use LFF LPC Value SAS Multi Vendor SSD
P40510-B21	HPE 960GB SAS 12G Mixed Use SFF BC Value SAS Multi Vendor SSD
P40506-B21	HPE 960GB SAS 12G Read Intensive SFF BC Value SAS Multi Vendor SSD
P49029-B21	HPE 960GB SAS 24G Read Intensive SFF BC Multi Vendor SSD
P40503-B21	HPE 960GB SATA 6G Mixed Use SFF BC Multi Vendor SSD
P58244-B21	HPE 960GB SATA 6G Mixed Use SFF BC Self-encrypting 5400M SSD
P47808-B21	HPE 960GB SATA 6G Read Intensive LFF LPC Multi Vendor SSD
P40498-B21	HPE 960GB SATA 6G Read Intensive SFF BC Multi Vendor SSD
P47216-B21	HPE ProLiant ML350 Gen11 4LFF SAS/SATA Basic Drive Cage Kit
P47217-B21	HPE ProLiant ML350 Gen11 8SFF x1 U.3 Tri-Mode Drive Cage Kit
P62309-B21	HPE ProLiant ML350 Gen11 Internal LTO Support Kit
666987-B21	HPE Small Form Factor Hard Drive Blank Kit

Emetteurs-récepteurs

845398-B21	HPE 25Gb SFP28 SR 100m Transceiver
845966-B21	HPE 100Gb QSFP28 MPO SR4 100m Transceiver
Q8J73A	HPE 100GbE QSFP28 500m 1310nm PSM4 Transceiver
Q2F19A	HPE 100GbE QSFP28 SR4 100m Transceiver
Q9S71A	HPE 100GbE QSFP28 to QSFP28 5m Active Optical Cable
453154-B21	HPE BladeSystem CClass Virtual Connect 1G SFP RJ45 Transceiver
455886-B21	HPE BladeSystem c-Class 10Gb SFP+ LR Transceiver
455883-B21	HPE BladeSystem c-Class 10Gb SFP+ SR Transceiver
453151-B21	HPE BladeSystem c-Class Virtual Connect 1G SFP SX Transceiver

Kits de conversion

P47394-B21	HPE ProLiant Compute ML Gen11/Gen12 Tower to Rack Conversion Kit
------------	--

Lecteurs et stockage

726536-B21	HPE 9.5mm SATA DVD-ROM Optical Drive
726537-B21	HPE 9.5mm SATA DVD-RW Optical Drive
701498-B21	HPE Mobile USB DVD-RW Optical Drive

Logiciel de gestion de serveurs

512485-B21	HPE iLO Advanced 1-server License with 1yr Support on iLO Licensed Features
BD505A	HPE iLO Advanced 1-server License with 3yr Support on iLO Licensed Features
E6U59ABE	HPE iLO Advanced Electronic License with 1yr Support on iLO Licensed Features
E6U64ABE	HPE iLO Advanced Electronic License with 3yr Support on iLO Licensed Features
S3Q39AAE	Intel Virtual RAID on CPU RAID 1 E-RTU for HPE

Logiciels de calcul haute performance

S2S31AAE	NVIDIA AI Enterprise Educational per GPU 1-year 24x7 Support E-LTU
S2S37AAE	NVIDIA AI Enterprise Educational per GPU 1-year 24x7 Support Renewal E-LTU
S2S22AAE	NVIDIA AI Enterprise Educational per GPU 1-year Subscription 9x5 Support E-LTU
S2S25AAE	NVIDIA AI Enterprise Educational per GPU 1-year Subscription 9x5 Support Renewal E-LTU
S2S32AAE	NVIDIA AI Enterprise Educational per GPU 3-year 24x7 Support E-LTU
S2S38AAE	NVIDIA AI Enterprise Educational per GPU 3-year 24x7 Support Renewal E-LTU
S2S23AAE	NVIDIA AI Enterprise Educational per GPU 3-year Subscription 9x5 Support E-LTU
S2S26AAE	NVIDIA AI Enterprise Educational per GPU 3-year Subscription 9x5 Support Renewal E-LTU
S2S33AAE	NVIDIA AI Enterprise Educational per GPU 5-year 24x7 Support E-LTU
S2S39AAE	NVIDIA AI Enterprise Educational per GPU 5-year 24x7 Support Renewal E-LTU
S2S24AAE	NVIDIA AI Enterprise Educational per GPU 5-year Subscription 9x5 Support E-LTU
S2S27AAE	NVIDIA AI Enterprise Educational per GPU 5-year Subscription 9x5 Support Renewal E-LTU
S2S28AAE	NVIDIA AI Enterprise per GPU 1-year 24x7 Support E-LTU
S2S34AAE	NVIDIA AI Enterprise per GPU 1-year 24x7 Support Renewal E-LTU
S2S16AAE	NVIDIA AI Enterprise per GPU 1-year Subscription 9x5 Support E-LTU
S2S19AAE	NVIDIA AI Enterprise per GPU 1-year Subscription 9x5 Support Renewal E-LTU
S2S29AAE	NVIDIA AI Enterprise per GPU 3-year 24x7 Support E-LTU
S2S35AAE	NVIDIA AI Enterprise per GPU 3-year 24x7 Support Renewal E-LTU
S2S17AAE	NVIDIA AI Enterprise per GPU 3-year Subscription 9x5 Support E-LTU
S2S20AAE	NVIDIA AI Enterprise per GPU 3-year Subscription 9x5 Support Renewal E-LTU
S2S30AAE	NVIDIA AI Enterprise per GPU 5-year 24x7 Support E-LTU

S2S36AAE	NVIDIA AI Enterprise per GPU 5-year 24x7 Support Renewal E-LTU
S2S18AAE	NVIDIA AI Enterprise per GPU 5-year Subscription 9x5 Support E-LTU
S2S21AAE	NVIDIA AI Enterprise per GPU 5-year Subscription 9x5 Support Renewal E-LTU

Modules d'alimentation

865408-B21	HPE 500W Flex Slot Platinum Hot Plug Low Halogen Power Supply Kit
P38995-B21	HPE 800W Flex Slot Platinum Hot Plug Low Halogen Power Supply Kit
865438-B21	HPE 800W Flex Slot Titanium Hot Plug Low Halogen Power Supply Kit
P03178-B21	HPE 1000W Flex Slot Titanium Hot Plug Power Supply Kit
P17023-B21	HPE 1600W Flex Slot -48VDC Hot Plug Power Supply Kit
P38997-B21	HPE 1600W Flex Slot Platinum Hot Plug Low Halogen Power Supply Kit
P44712-B21	HPE 1800W-2200W Flex Slot Titanium Hot Plug Power Supply Kit

Operating Systems

G3J32AAE	RHEL Server 2 Sckt/2 Gst 5yr 24x7 E-LTU
J8J35AAE	Red Hat Enterprise Linux Server 2 Sockets 1 Guest 1 Year Subscription 9x5 Support E-LTU
J8J36AAE	Red Hat Enterprise Linux Server 2 Sockets 1 Guest 1 Year Subscription 24x7 Support E-LTU
S4R44A	Red Hat Enterprise Linux Server 2 Sockets 1 Guest 1-year Subscription 9x5 Support LTU
S4R43A	Red Hat Enterprise Linux Server 2 Sockets 1 Guest 1-year Subscription 24x7 Support LTU
G5J63AAE	Red Hat Enterprise Linux Server 2 Sockets 4 Guests 1 Year Subscription 9x5 Support E-LTU
G5J62AAE	Red Hat Enterprise Linux Server 2 Sockets 4 Guests 1 Year Subscription 24x7 Support E-LTU
S4R46A	Red Hat Enterprise Linux Server 2 Sockets 4 Guests 1-year Subscription 9x5 Support LTU
S4R45A	Red Hat Enterprise Linux Server 2 Sockets 4 Guests 1-year Subscription 24x7 Support LTU
G5J65AAE	Red Hat Enterprise Linux Server 2 Sockets 4 Guests 3 Year Subscription 9x5 Support E-LTU
G5J64AAE	Red Hat Enterprise Linux Server 2 Sockets 4 Guests 3 Year Subscription 24x7 Support E-LTU
S4R48A	Red Hat Enterprise Linux Server 2 Sockets 4 Guests 3-year Subscription 9x5 Support LTU
S4R47A	Red Hat Enterprise Linux Server 2 Sockets 4 Guests 3-year Subscription 24x7 Support LTU
Q0D23AAE	Red Hat Enterprise Linux Server 2 Sockets 4 Guests 5yr Subscription 9x5 Support E-LTU
Q0D23A	Red Hat Enterprise Linux Server 2 Sockets 4 Guests 5yr Subscription 9x5 Support Flexible LTU
Q0D22AAE	Red Hat Enterprise Linux Server 2 Sockets 4 Guests 5yr Subscription 24x7 Support E-LTU
Q0D22A	Red Hat Enterprise Linux Server 2 Sockets 4 Guests 5yr Subscription 24x7 Support Flexible LTU
G3J29AAE	Red Hat Enterprise Linux Server 2 Sockets or 2 Guests 1 Year Subscription 9x5 Support E-LTU
G3J28AAE	Red Hat Enterprise Linux Server 2 Sockets or 2 Guests 1 Year Subscription 24x7 Support E-LTU
S4R40A	Red Hat Enterprise Linux Server 2 Sockets or 2 Guests 1-year Subscription 9x5 Support LTU
S4R37A	Red Hat Enterprise Linux Server 2 Sockets or 2 Guests 1-year Subscription 24x7 Support LTU
G3J31AAE	Red Hat Enterprise Linux Server 2 Sockets or 2 Guests 3 Year Subscription 9x5 Support E-LTU
G3J30AAE	Red Hat Enterprise Linux Server 2 Sockets or 2 Guests 3 Year Subscription 24x7 Support E-LTU

S4R41A	Red Hat Enterprise Linux Server 2 Sockets or 2 Guests 3-year Subscription 9x5 Support LTU
S4R38A	Red Hat Enterprise Linux Server 2 Sockets or 2 Guests 3-year Subscription 24x7 Support LTU
S4R42A	Red Hat Enterprise Linux Server 2 Sockets or 2 Guests 5-year Subscription 9x5 Support LTU
S4R39A	Red Hat Enterprise Linux Server 2 Sockets or 2 Guests 5-year Subscription 24x7 Support LTU
G3J33AAE	Red Hat Enterprise Linux Server 2 Sockets or Guests 5 Year Subscription 9x5 Support E-LTU
S4R34A	Red Hat Enterprise Linux Virtual Datacenter 2 Sockets 1-year Subscription 9x5 Support LTU
S4R31A	Red Hat Enterprise Linux Virtual Datacenter 2 Sockets 1-year Subscription 24x7 Support LTU
S4R35A	Red Hat Enterprise Linux Virtual Datacenter 2 Sockets 3-year Subscription 9x5 Support LTU
S4R32A	Red Hat Enterprise Linux Virtual Datacenter 2 Sockets 3-year Subscription 24x7 Support LTU
S4R36A	Red Hat Enterprise Linux Virtual Datacenter 2 Sockets 5-year Subscription 9x5 Support LTU
S4R33A	Red Hat Enterprise Linux Virtual Datacenter 2 Sockets 5-year Subscription 24x7 Support LTU
R2Z51AAE	Red Hat Enterprise Linux for HPC Compute Node with Smart Management 1yr E-LTU
R2Z52AAE	Red Hat Enterprise Linux for HPC Compute Node with Smart Management 3yr E-LTU
R2Z53AAE	Red Hat Enterprise Linux for HPC Compute Node with Smart Management 5yr E-LTU
R2Z45AAE	Red Hat Enterprise Linux for HPC Head Node with Smart Management 1yr 24x7 E-LTU
R2Z46AAE	Red Hat Enterprise Linux for HPC Head Node with Smart Management 3yr 24x7 E-LTU
R2Z47AAE	Red Hat Enterprise Linux for HPC Head Node with Smart Management 5yr 24x7 E-LTU
Q5W19AAE	Red Hat Enterprise Linux for SAP (Physical/Virtual Nodes) 3yr Subscription 9x5 Support E-LTU
Q5W20AAE	Red Hat Enterprise Linux for SAP (Physical/Virtual Nodes) 3yr Subscription 24x7 Support E-LTU
Q5W21AAE	Red Hat Enterprise Linux for SAP (Physical/Virtual Nodes) 5yr Subscription 9x5 Support E-LTU
Q5W22AAE	Red Hat Enterprise Linux for SAP (Physical/Virtual Nodes) 5yr Subscription 24x7 Support E-LTU
Q5W23AAE	Red Hat Enterprise Linux for SAP for Virtual Datacenters 3yr Subscription 9x5 Support E-LTU
Q5W24AAE	Red Hat Enterprise Linux for SAP for Virtual Datacenters 3yr Subscription 24x7 Support E-LTU
Q5W25AAE	Red Hat Enterprise Linux for SAP for Virtual Datacenters 5yr Subscription 9x5 Support E-LTU
Q5W26AAE	Red Hat Enterprise Linux for SAP for Virtual Datacenters 5yr Subscription 24x7 Support E-LTU
G3J23AAE	Red Hat Enterprise Linux for Virtual Datacenters 2 Sockets 1 Year Subscription 9x5 Support E-LTU
G3J22AAE	Red Hat Enterprise Linux for Virtual Datacenters 2 Sockets 1 Year Subscription 24x7 Support E-LTU
G3J25AAE	Red Hat Enterprise Linux for Virtual Datacenters 2 Sockets 3 Year Subscription 9x5 Support E-LTU
G3J24AAE	Red Hat Enterprise Linux for Virtual Datacenters 2 Sockets 3 Year Subscription 24x7 Support E-LTU
G3J27AAE	Red Hat Enterprise Linux for Virtual Datacenters 2 Sockets 5 Year Subscription 9x5 Support E-LTU
G3J26AAE	Red Hat Enterprise Linux for Virtual Datacenters 2 Sockets 5 Year Subscription 24x7 Support E-LTU
G5J66AAE	Red Hat High Availability 2 Sockets Unlimited Guests 1 Year Subscription E-LTU
S4T26A	Red Hat High Availability 2 Sockets Unlimited Guests 1-year Subscription LTU
G5J67AAE	Red Hat High Availability 2 Sockets Unlimited Guests 3 Year Subscription E-LTU
S4T27A	Red Hat High Availability 2 Sockets Unlimited Guests 3-year Subscription LTU
Q0D26AAE	Red Hat High Availability 2 Sockets Unlimited Guests 5yr Subscription E-LTU

Q0D26A	Red Hat High Availability 2 Sockets Unlimited Guests 5yr Subscription Flexible LTU
G3J34AAE	Red Hat High Availability 2 Sockets or 2 Guests 1 Year Subscription E-LTU
S4T22A	Red Hat High Availability 2 Sockets or 2 Guests 1-year Subscription LTU
G3J35AAE	Red Hat High Availability 2 Sockets or 2 Guests 3 Year Subscription E-LTU
S4T23A	Red Hat High Availability 2 Sockets or 2 Guests 3-year Subscription LTU
Q0D25AAE	Red Hat High Availability 2 Sockets or 2 Guests 5yr Subscription E-LTU
Q0D25A	Red Hat High Availability 2 Sockets or 2 Guests 5yr Subscription Flexible LTU
S3Z86AAE	Red Hat OpenShift Container Platform Bare Metal 1-2 Sockets up to 128 Cores 1yr Sub 9x5 Sup E-LTU
S3Z84AAE	Red Hat OpenShift Container Platform Bare Metal 1-2 Sockets up to 128 Cores 1yr Sub 24x7 Sup E-LTU
S3Z90AAE	Red Hat OpenShift Container Platform Plus Bare Metal 1-2Skt up to 128 Cores 1yr Sub 9x5 Sup E-LTU
S3Z88AAE	Red Hat OpenShift Container Platform Plus Bare Metal 1-2Skt up to 128 Cores 1yr Sub 24x7 Sup E-LTU
G5J68AAE	Red Hat Resilient Storage 2 Sockets Unlimited Guests 1 Year Subscription E-LTU
G5J69AAE	Red Hat Resilient Storage 2 Sockets Unlimited Guests 3 Year Subscription E-LTU
Q0D30AAE	Red Hat Resilient Storage 2 Sockets Unlimited Guests 5yr Subscription E-LTU
Q0D30A	Red Hat Resilient Storage 2 Sockets Unlimited Guests 5yr Subscription Flexible LTU
G3J36AAE	Red Hat Resilient Storage 2 Sockets or 2 Guests 1 Year Subscription E-LTU
S4T24A	Red Hat Resilient Storage 2 Sockets or 2 Guests 1-year Subscription LTU
G3J37AAE	Red Hat Resilient Storage 2 Sockets or 2 Guests 3 Year Subscription E-LTU
S4T25A	Red Hat Resilient Storage 2 Sockets or 2 Guests 3-year Subscription LTU
Q0D29AAE	Red Hat Resilient Storage 2 Sockets or 2 Guests 5yr Subscription E-LTU
Q0D29A	Red Hat Resilient Storage 2 Sockets or 2 Guests 5yr Subscription Flexible LTU
Q5T84A	SUSE Linux Enterprise High Availability Extension 1-2 Sockets 1yr Subscription Flexible LTU
M6K34AAE	SUSE Linux Enterprise High Availability Extension 1-2 Sockets 3 Year Subscription E-LTU
M6K34A	SUSE Linux Enterprise High Availability Extension 1-2 Sockets 3 Year Subscription Flx LTU
Q5T85A	SUSE Linux Enterprise High Availability Extension 1-2 Sockets 5yr Subscription Flexible LTU
S0E93AAE	SUSE Linux Enterprise Micro 1-16 Cores 1-year Subscription 24x7 Support E-LTU
S0E94AAE	SUSE Linux Enterprise Micro 1-16 Cores 3-year Subscription 24x7 Support E-LTU
S0E95AAE	SUSE Linux Enterprise Micro 1-16 Cores 5-year Subscription 24x7 Support E-LTU
S7N98AAE	SUSE Linux Enterprise Server 1 VM 1-year Subscription 24x7 Support E-LTU
S7N99AAE	SUSE Linux Enterprise Server 1 VM 3-year Subscription 24x7 Support E-LTU
S7P00AAE	SUSE Linux Enterprise Server 1 VM 5-year Subscription 24x7 Support E-LTU
S7N95AAE	SUSE Linux Enterprise Server 1-2 Sockets 1-year Subscription 24x7 Support E-LTU
S7N96AAE	SUSE Linux Enterprise Server 1-2 Sockets 3-year Subscription 24x7 Support E-LTU
S7N97AAE	SUSE Linux Enterprise Server 1-2 Sockets 5-year Subscription 24x7 Support E-LTU
R8V74AAE	SUSE Linux Enterprise Server 1-2 Sockets Unlimited VM w/Live Patching 1-year 9x5 E-LTU
R8V74A	SUSE Linux Enterprise Server 1-2 Sockets Unlimited VM w/Live Patching 1-year 9x5 Flexible LTU

R8V76AAE	SUSE Linux Enterprise Server 1-2 Sockets Unlimited VM w/Live Patching 1-year 24x7 E-LTU
R8V76A	SUSE Linux Enterprise Server 1-2 Sockets Unlimited VM w/Live Patching 1-year 24x7 Flexible LTU
R8V75AAE	SUSE Linux Enterprise Server 1-2 Sockets Unlimited VM w/Live Patching 3-year 9x5 E-LTU
R8V75A	SUSE Linux Enterprise Server 1-2 Sockets Unlimited VM w/Live Patching 3-year 9x5 Flexible LTU
R8V77AAE	SUSE Linux Enterprise Server 1-2 Sockets Unlimited VM w/Live Patching 3-year 24x7 E-LTU
R8V77A	SUSE Linux Enterprise Server 1-2 Sockets Unlimited VM w/Live Patching 3-year 24x7 Flexible LTU
S0F24AAE	SUSE Linux Enterprise Server 1-2 Sockets Unlimited VM w/Live Patching 5-year 9x5 E-LTU
R8V79A	SUSE Linux Enterprise Server 1-2 Sockets Unlimited VM w/Live Patching 5-year 9x5 Flexible LTU
R8V78AAE	SUSE Linux Enterprise Server 1-2 Sockets Unlimited VM w/Live Patching 5-year 24x7 E-LTU
R8V78A	SUSE Linux Enterprise Server 1-2 Sockets Unlimited VM w/Live Patching 5-year 24x7 Flexible LTU
S7N77AAE	SUSE Linux Enterprise Server for SAP Applications 1-2 Sockets Unlimited VM 3yr Sub 24x7 Sup E-LTU
S7P10A	SUSE Linux Enterprise Server for SAP Applications 1-2 Sockets Unlimited VM 3yr Sub 24x7 Sup Flex LTU
S7N87A	SUSE Linux Enterprise Server for SAP Applications 1-2 Sockets Unlimited VM 3yr Sub 24x7 Sup Flex LTU
S7N78AAE	SUSE Linux Enterprise Server for SAP Applications 1-2 Sockets Unlimited VM 5yr Sub 24x7 Sup E-LTU
S7N88A	SUSE Linux Enterprise Server for SAP Applications 1-2 Sockets Unlimited VM 5yr Sub 24x7 Sup Flex LTU
S7P11A	SUSE Linux Enterprise Server for SAP Applications 1-2 Sockets Unlimited VM 5yr Sub 24x7 Sup Flex LTU
S7N75AAE	SUSE Linux Enterprise Server for SAP Applications 1-2 Sockets or 1-2 VM 3-year Sub 24x7 Sup E-LTU
S7P12A	SUSE Linux Enterprise Server for SAP Applications 1-2 Sockets or 1-2 VM 3-year Sub 24x7 Sup Flex LTU
S7N85A	SUSE Linux Enterprise Server for SAP Applications 1-2 Sockets or 1-2 VM 3-year Sub 24x7 Support LTU
S7N76AAE	SUSE Linux Enterprise Server for SAP Applications 1-2 Sockets or 1-2 VM 5-year Sub 24x7 Sup E-LTU
S7P13A	SUSE Linux Enterprise Server for SAP Applications 1-2 Sockets or 1-2 VM 5-year Sub 24x7 Sup Flex LTU
S7N86A	SUSE Linux Enterprise Server for SAP Applications 1-2 Sockets or 1-2 VM 5-year Sub 24x7 Support LTU
S7N80AAE	SUSE Linux Enterprise Server w/SUSE Multi-Linux Mgr Lifecycle Mgmt+ 1-2 Skts/1-2 VM 1yr 9x5 E-LTU
S7N90A	SUSE Linux Enterprise Server w/SUSE Multi-Linux Mgr Lifecycle Mgmt+ 1-2 Skts/1-2 VM 1yr 9x5 LTU
S7N79AAE	SUSE Linux Enterprise Server w/SUSE Multi-Linux Mgr Lifecycle Mgmt+ 1-2 Skts/1-2 VM 1yr 24x7 E-LTU
S7N89A	SUSE Linux Enterprise Server w/SUSE Multi-Linux Mgr Lifecycle Mgmt+ 1-2 Skts/1-2 VM 1yr 24x7 LTU
S7N82AAE	SUSE Linux Enterprise Server w/SUSE Multi-Linux Mgr Lifecycle Mgmt+ 1-2 Skts/1-2 VM 3yr 9x5 E-LTU
S7N92A	SUSE Linux Enterprise Server w/SUSE Multi-Linux Mgr Lifecycle Mgmt+ 1-2 Skts/1-2 VM 3yr 9x5 LTU
S7N81AAE	SUSE Linux Enterprise Server w/SUSE Multi-Linux Mgr Lifecycle Mgmt+ 1-2 Skts/1-2 VM 3yr 24x7 E-LTU
S7N91A	SUSE Linux Enterprise Server w/SUSE Multi-Linux Mgr Lifecycle Mgmt+ 1-2 Skts/1-2 VM 3yr 24x7 LTU
S7N84AAE	SUSE Linux Enterprise Server w/SUSE Multi-Linux Mgr Lifecycle Mgmt+ 1-2 Skts/1-2 VM 5yr 9x5 E-LTU
S7N94A	SUSE Linux Enterprise Server w/SUSE Multi-Linux Mgr Lifecycle Mgmt+ 1-2 Skts/1-2 VM 5yr 9x5 LTU
S7N83AAE	SUSE Linux Enterprise Server w/SUSE Multi-Linux Mgr Lifecycle Mgmt+ 1-2 Skts/1-2 VM 5yr 24x7 E-LTU
S7N93A	SUSE Linux Enterprise Server w/SUSE Multi-Linux Mgr Lifecycle Mgmt+ 1-2 Skts/1-2 VM 5yr 24x7 LTU

R8V87AAE	SUSE Manager Lifecycle Management 1-2 Sockets Unlimited VM 1-year 24x7 E-LTU
SOF26AAE	SUSE Manager Lifecycle Management 1-2 Sockets Unlimited VM 1-year 24x7 E-LTU
R8V89AAE	SUSE Manager Lifecycle Management 1-2 Sockets Unlimited VM 3-year 24x7 E-LTU
SOF28AAE	SUSE Manager Lifecycle Management 1-2 Sockets Unlimited VM 3-year 24x7 E-LTU
SOF30AAE	SUSE Manager Lifecycle Management 1-2 Sockets Unlimited VM 5-year 24x7 E-LTU
SOF22AAE	SUSE Manager Lifecycle Management 1-2 Sockets Unlimited VM 5-year 24x7 E-LTU
R8V86AAE	SUSE Manager Lifecycle Management 1-2 Sockets or 1-2 VM 1-year 24x7 E-LTU
SOF25AAE	SUSE Manager Lifecycle Management 1-2 Sockets or 1-2 VM 1-year 24x7 E-LTU
R8V88AAE	SUSE Manager Lifecycle Management 1-2 Sockets or 1-2 VM 3-year 24x7 E-LTU
SOF27AAE	SUSE Manager Lifecycle Management 1-2 Sockets or 1-2 VM 3-year 24x7 E-LTU
SOF29AAE	SUSE Manager Lifecycle Management 1-2 Sockets or 1-2 VM 5-year 24x7 E-LTU
SOF21AAE	SUSE Manager Lifecycle Management 1-2 Sockets or 1-2 VM 5-year 24x7 E-LTU

Options de gestion de l'énergie

AF570A	HPE C13 - BS-1363A UK/HK/SG 250V 10Amp 1.83m Power Cord
AF568A	HPE C13 - CEE-VII EU 250V 10Amp 1.83m Power Cord
AF561A	HPE C13 - CNS-690 TW 110V 13Amp 1.83m Power Cord
AF558A	HPE C13 - IRAM -2073 AR 250V 10A 2.5m Power Cord
AF562A	HPE C13 - IS-1293 IN 240V 6Amp LV 2.0m Power Cord
AF560A	HPE C13 - KSC- 8305 KR 250V 10Amp 1.83m Power Cord
AF591A	HPE C13 - NBR-14136 BR 250V 10Amp 1.83m Power Cord
AF559A	HPE C13 - Nema 5-15P TH/PH 250V 10Amp 1.83m Power Cord
AF556A	HPE C13 - Nema 5-15P US/CA 110V 10Amp 1.83m Power Cord
AF567A	HPE C13 - SABS-164 ZA 250V 10Amp 2.5m Power Cord
AF565A	HPE C13 - SEV 1011 CH 250V 10Amp 1.83m Power Cord

Options pour racks

P36877-B21	HPE 1600W -48VDC Power Cable Lug Kit
------------	--------------------------------------

Processeurs

P47224-B21	HPE ProLiant ML350 Gen11 Performance Heat Sink Kit
P47223-B21	HPE ProLiant ML350 Gen11 Standard Heat Sink Kit
P67100-B21	Intel Xeon-Bronze 3508U 2.1GHz 8-core 125W Processor for HPE
P49639-B21	Intel Xeon-Gold 5411N 1.9GHz 24-core 165W Processor for HPE
P49597-B21	Intel Xeon-Gold 5415+ 2.9GHz 8-core 150W Processor for HPE
P49653-B21	Intel Xeon-Gold 5416S 2.0GHz 16-core 150W Processor for HPE
P49640-B21	Intel Xeon-Gold 5418N 1.8GHz 24-core 165W Processor for HPE
P49612-B21	Intel Xeon-Gold 5418Y 2.0GHz 24-core 185W Processor for HPE

P67079-B21	Intel Xeon-Gold 5515+ 3.2GHz 8-core 165W Processor for HPE
P67094-B21	Intel Xeon-Gold 5520+ 2.2GHz 28-core 205W Processor for HPE
P49620-B21	Intel Xeon-Gold 6416H 2.2GHz 18-core 165W Processor for HPE
P49621-B21	Intel Xeon-Gold 6418H 2.1GHz 24-core 185W Processor for HPE
P49641-B21	Intel Xeon-Gold 6421N 1.8GHz 32-core 185W Processor for HPE
P49598-B21	Intel Xeon-Gold 6426Y 2.5GHz 16-core 185W Processor for HPE
P49614-B21	Intel Xeon-Gold 6430 2.1GHz 32-core 270W Processor for HPE
P49601-B21	Intel Xeon-Gold 6434 3.7GHz 8-core 195W Processor for HPE
P49615-B21	Intel Xeon-Gold 6438Y+ 2.0GHz 32-core 205W Processor for HPE
P49599-B21	Intel Xeon-Gold 6442Y 2.6GHz 24-core 225W Processor for HPE
P49622-B21	Intel Xeon-Gold 6448H 2.4GHz 32-core 250W Processor for HPE
P49600-B21	Intel Xeon-Gold 6448Y 2.1GHz 32-core 225W Processor for HPE
P67080-B21	Intel Xeon-Gold 6526Y 2.8GHz 16-core 195W Processor for HPE
P67095-B21	Intel Xeon-Gold 6530 2.1GHz 32-core 270W Processor for HPE
P67083-B21	Intel Xeon-Gold 6534 3.9GHz 8-core 195W Processor for HPE
P67104-B21	Intel Xeon-Gold 6538N 2.1GHz 32-core 205W Processor for HPE
P67096-B21	Intel Xeon-Gold 6538Y+ 2.2GHz 32-core 225W Processor for HPE
P67081-B21	Intel Xeon-Gold 6542Y 2.9GHz 24-core 250W Processor for HPE
P67105-B21	Intel Xeon-Gold 6548N 2.8GHz 32-core 250W Processor for HPE
P67082-B21	Intel Xeon-Gold 6548Y+ 2.5GHz 32-core 250W Processor for HPE
P67110-B21	Intel Xeon-Gold 6554S 2.2GHz 36-core 270W Processor for HPE
P49625-B21	Intel Xeon-Platinum 8444H 2.9GHz 16-core 270W Processor for HPE
P49616-B21	Intel Xeon-Platinum 8452Y 2.0GHz 36-core 300W Processor for HPE
P49632-B21	Intel Xeon-Platinum 8458P 2.7GHz 44-core 350W Processor for HPE
P49604-B21	Intel Xeon-Platinum 8460Y+ 2.0GHz 40-core 300W Processor for HPE
P49605-B21	Intel Xeon-Platinum 8468 2.1GHz 48-core 350W Processor for HPE
P49606-B21	Intel Xeon-Platinum 8470 2.0GHz 52-core 350W Processor for HPE
P49649-B21	Intel Xeon-Platinum 8470N 1.7GHz 52-core 300W Processor for HPE
P49607-B21	Intel Xeon-Platinum 8480+ 2.0GHz 56-core 350W Processor for HPE
P49630-B21	Intel Xeon-Platinum 8490H 1.9GHz 60-core 350W Processor for HPE
P67097-B21	Intel Xeon-Platinum 8558 2.1GHz 48-core 330W Processor for HPE
P67108-B21	Intel Xeon-Platinum 8558P 2.7GHz 48-core 350W Processor for HPE
P67102-B21	Intel Xeon-Platinum 8558U 2.0GHz 48-core 300W Processor for HPE
P67086-B21	Intel Xeon-Platinum 8568Y+ 2.3GHz 48-core 350W Processor for HPE
P67087-B21	Intel Xeon-Platinum 8570 2.1GHz 56-core 350W Processor for HPE
P67088-B21	Intel Xeon-Platinum 8580 2.0GHz 60-core 350W Processor for HPE

P67109-B21	Intel Xeon-Platinum 8581V 2.0GHz 60-core 270W Processor for HPE
P67089-B21	Intel Xeon-Platinum 8592+ 1.9GHz 64-core 350W Processor for HPE
P67107-B21	Intel Xeon-Platinum 8592V 2.0GHz 64-core 330W Processor for HPE
P49610-B21	Intel Xeon-Silver 4410Y 2.0GHz 12-core 150W Processor for HPE
P49611-B21	Intel Xeon-Silver 4416+ 2.0GHz 20-core 165W Processor for HPE
P67090-B21	Intel Xeon-Silver 4509Y 2.6GHz 8-core 125W Processor for HPE
P67091-B21	Intel Xeon-Silver 4510 2.4GHz 12-core 150W Processor for HPE
P67092-B21	Intel Xeon-Silver 4514Y 2.0GHz 16-core 150W Processor for HPE
P67093-B21	Intel Xeon-Silver 4516Y+ 2.2GHz 24-core 185W Processor for HPE

Server accelerators

S0K89C	NVIDIA L4 24GB PCIe Accelerator for HPE
S0K90C	NVIDIA L40 48GB PCIe Accelerator for HPE
S2L70C	NVIDIA L40S 48GB PCIe Accelerator
S5T74C	NVIDIA RTX A1000 8GB PCIe Accelerator for HPE

Solutions de mémoires pour grandes entreprises

P43322-B21	HPE 16GB (1x16GB) Single Rank x8 DDR5-4800 CAS-40-39-39 EC8 Registered Smart Memory Kit
P64705-B21	HPE 16GB (1x16GB) Single Rank x8 DDR5-5600 CAS-46-45-45 EC8 Registered Smart Memory Kit
P43328-B21	HPE 32GB (1x32GB) Dual Rank x8 DDR5-4800 CAS-40-39-39 EC8 Registered Smart Memory Kit
P64706-B21	HPE 32GB (1x32GB) Dual Rank x8 DDR5-5600 CAS-46-45-45 EC8 Registered Smart Memory Kit
P43331-B21	HPE 64GB (1x64GB) Dual Rank x4 DDR5-4800 CAS-40-39-39 EC8 Registered Smart Memory Kit
P64707-B21	HPE 64GB (1x64GB) Dual Rank x4 DDR5-5600 CAS-46-45-45 EC8 Registered Smart Memory Kit
P66675-B21	HPE 96GB (1x96GB) Dual Rank x4 DDR5-4800 CAS-46-45-45 EC8 Registered Smart Memory Kit
P64708-B21	HPE 96GB (1x96GB) Dual Rank x4 DDR5-5600 CAS-46-45-45 EC8 Registered Smart Memory Kit
P69974-B21	HPE 128GB (1x128GB) Dual Rank x4 DDR5-4800 CAS-40-39-39 EC8 Registered Smart Memory Kit
P69976-B21	HPE 128GB (1x128GB) Dual Rank x4 DDR5-5600 CAS-46-45-45 EC8 Registered Smart Memory Kit
P90550-B21	HPE 256GB (1x256GB) Quad Rank x4 DDR5-4800 CAS-60-52-52 EC8 Registered 3DS Smart Memory Kit
P90554-B21	HPE 256GB (1x256GB) Quad Rank x4 DDR5-5600 CAS-60-52-52 EC8 Registered 3DS Smart Memory Kit

Stockage sur bande

BB873A	HPE LTO-7 Ultrium 15000 Internal Tape Drive
BB874A	HPE StoreEver LTO-7 Ultrium 15000 External Tape Drive
BC023A	HPE StoreEver LTO-8 Ultrium 30750 External Tape Drive
BC022A	HPE StoreEver LTO-8 Ultrium 30750 Internal Tape Drive
BC042A	HPE StoreEver LTO-9 Ultrium 45000 External Tape Drive
BC040A	HPE StoreEver LTO-9 Ultrium 45000 Internal Tape Drive

Supports de stockage

C7976A	HPE LTO-6 Ultrium 6.25TB RW Data Cartridge
C7977A	HPE LTO-7 Ultrium 15TB RW Data Cartridge
Q2078A	HPE LTO-8 Ultrium 30TB RW Data Cartridge
Q2079A	HPE LTO-9 Ultrium 45TB RW Data Cartridge

Systèmes d'exploitation

P77127-291	Microsoft Windows Server 2022 Downgrade Datacenter Reseller Option Kit Japanese SW
P77126-291	Microsoft Windows Server 2022 Downgrade Standard Reseller Option Kit Japanese SW
P77111-B21	Microsoft Windows Server 2025 1 Device CAL WW LTU
P77110-AA1	Microsoft Windows Server 2025 1 User CAL Chinese Simplified LTU
P77110-B21	Microsoft Windows Server 2025 1 User CAL WW LTU
P77109-B21	Microsoft Windows Server 2025 2-core Datacenter Additional License WW SW
P77106-AA1	Microsoft Windows Server 2025 2-core Standard Additional License Chinese Simplified SW
P77106-AB1	Microsoft Windows Server 2025 2-core Standard Additional License Chinese Traditional SW
P77106-B21	Microsoft Windows Server 2025 2-core Standard Additional License WW SW
P77108-B21	Microsoft Windows Server 2025 4-core Datacenter Additional License WW SW
P77105-B21	Microsoft Windows Server 2025 4-core Standard Additional License WW SW
P77113-B21	Microsoft Windows Server 2025 5 Devices CAL WW LTU
P77112-AA1	Microsoft Windows Server 2025 5 Users CAL Chinese Simplified LTU
P77112-AB1	Microsoft Windows Server 2025 5 Users CAL Chinese Traditional LTU
P77112-B21	Microsoft Windows Server 2025 5 Users CAL WW LTU
P77115-B21	Microsoft Windows Server 2025 10 Devices CAL WW LTU
P77114-B21	Microsoft Windows Server 2025 10 Users CAL WW LTU
S6L39A	Microsoft Windows Server 2025 10-core Essentials Reseller Option Kit WW ESD LTU
P77107-B21	Microsoft Windows Server 2025 16-core Datacenter Additional License WW SW
P77102-291	Microsoft Windows Server 2025 16-core Datacenter Reassignment Reseller Option Kit Japanese SW
S6L37A	Microsoft Windows Server 2025 16-core Datacenter Reassignment Reseller Option Kit WW ESD LTU
P77102-B21	Microsoft Windows Server 2025 16-core Datacenter Reassignment Reseller Option Kit en/fr/de/es SW
P77101-AA1	Microsoft Windows Server 2025 16-core Datacenter Reseller Option Kit Chinese Simplified SW
P77101-AB1	Microsoft Windows Server 2025 16-core Datacenter Reseller Option Kit Chinese Traditional SW
P77101-291	Microsoft Windows Server 2025 16-core Datacenter Reseller Option Kit Japanese SW
S6L36A	Microsoft Windows Server 2025 16-core Datacenter Reseller Option Kit WW ESD LTU
P77101-021	Microsoft Windows Server 2025 16-core Datacenter Reseller Option Kit en/cs/pl/ru/sv SW
P77101-A21	Microsoft Windows Server 2025 16-core Datacenter Reseller Option Kit en/fr/de/es/it/pt/nl SW
P77101-DN1	Microsoft Windows Server 2025 16-core Datacenter Reseller Option Kit en/fr/es/xs SW

P77101-371	Microsoft Windows Server 2025 16-core Datacenter Reseller Option Kit en/ko SW
P77104-B21	Microsoft Windows Server 2025 16-core Standard Additional License WW SW
P77100-AA1	Microsoft Windows Server 2025 16-core Standard Reseller Option Kit Chinese Simplified SW
P77100-AB1	Microsoft Windows Server 2025 16-core Standard Reseller Option Kit Chinese Traditional SW
P77100-291	Microsoft Windows Server 2025 16-core Standard Reseller Option Kit Japanese SW
S6L38A	Microsoft Windows Server 2025 16-core Standard Reseller Option Kit WW ESD LTU
P77100-021	Microsoft Windows Server 2025 16-core Standard Reseller Option Kit en/cs/pl/ru/sv SW
P77100-A21	Microsoft Windows Server 2025 16-core Standard Reseller Option Kit en/fr/de/es/it/pt/nl SW
P77100-DN1	Microsoft Windows Server 2025 16-core Standard Reseller Option Kit en/fr/es/xs SW
P77100-371	Microsoft Windows Server 2025 16-core Standard Reseller Option Kit en/ko SW
P77117-B21	Microsoft Windows Server 2025 50 Devices CAL WW LTU
P77116-B21	Microsoft Windows Server 2025 50 Users CAL WW LTU
P77119-B21	Microsoft Windows Server 2025 Remote Desktop Service 1 Device CAL WW LTU
P77118-B21	Microsoft Windows Server 2025 Remote Desktop Service 1 User CAL WW LTU
P77121-B21	Microsoft Windows Server 2025 Remote Desktop Service 5 Devices CAL WW LTU
P77120-B21	Microsoft Windows Server 2025 Remote Desktop Service 5 Users CAL WW LTU
P77123-B21	Microsoft Windows Server 2025 Remote Desktop Service 50 Devices CAL WW LTU
P77122-B21	Microsoft Windows Server 2025 Remote Desktop Service 50 Users CAL WW LTU

Ventilateurs/Options de ventilateurs

P47220-B21	HPE ProLiant Compute ML350 Gen11/Gen12 External GPU Fan Kit
P47219-B21	HPE ProLiant Compute ML350 Gen11/Gen12 Redundant Fan Kit
P47902-B21	HPE ProLiant Compute ML350 Gen11/Gen12 Second CPU Fan Kit

Services associés

Les services suivants sont disponibles pour ces séries:

SKU	Description
Services technologiques	
H93W2PE	HPE 1 Year Post Warranty Tech Care Basic for ML350 Gen 11 HW Service
H93W4PE	HPE 1 Year Post Warranty Tech Care Basic wCDMRange for ML350 Gen 11 HW Service
H93W3PE	HPE 1 Year Post Warranty Tech Care Basic wDMRange for ML350 Gen 11 HW Service
H93X1PE	HPE 1 Year Post Warranty Tech Care Critical for ML350 Gen 11 HW Service
H93X3PE	HPE 1 Year Post Warranty Tech Care Critical wCDMR for ML350 Gen 11 HW Service
H93X2PE	HPE 1 Year Post Warranty Tech Care Critical wDMR for ML350 Gen 11 HW Service

H93W8PE	HPE 1 Year Post Warranty Tech Care Essential for ML350 Gen 11 HW Service
H93X0PE	HPE 1 Year Post Warranty Tech Care Essential wCDMR for ML350 Gen 11 HW Service
H93W9PE	HPE 1 Year Post Warranty Tech Care Essential wDMR for ML350 Gen 11 HW Service
H93X4PE	HPE 2 Year Post Warranty Tech Care Basic for ML350 Gen 11 HW Service
H93X5PE	HPE 2 Year Post Warranty Tech Care Basic wDMRange for ML350 Gen 11 HW Service
H93X8PE	HPE 2 Year Post Warranty Tech Care Essential for ML350 Gen 11 HW Service
H93X9PE	HPE 2 Year Post Warranty Tech Care Essential wDMR for ML350 Gen 11 HW Service
H44ZVE	HPE 3 Year Tech Care Basic ML350 Gen11 Smart Choice Service
H93R4E	HPE 3 Year Tech Care Basic ML350 Gen 11 HW Service
H93R6E	HPE 3 Year Tech Care Basic wCDMR ML350 Gen 11 HW Service
H93R5E	HPE 3 Year Tech Care Basic wDMR ML350 Gen 11 HW Service
H58BLE	HPE 3 Year Tech Care Basic wGDMR ProLiant ML350 Gen11 Service
H93S3E	HPE 3 Year Tech Care Critical for ML350 Gen 11 HW Service
H93S5E	HPE 3 Year Tech Care Critical wCDMR ML350 Gen 11 HW Service
H93S4E	HPE 3 Year Tech Care Critical wDMR ML350 Gen 11 HW Service
H58BNE	HPE 3 Year Tech Care Critical wGDMR ProLiant ML350 Gen11 Service
H44ZWE	HPE 3 Year Tech Care Essential ML350 Gen11 Smart Choice Service
H93S0E	HPE 3 Year Tech Care Essential ML350 Gen 11 HW Service
H93S2E	HPE 3 Year Tech Care Essential wCDMR ML350 Gen 11 HW Service
H93S1E	HPE 3 Year Tech Care Essential wDMR ML350 Gen 11 HW Service
H58BME	HPE 3 Year Tech Care Essential wGDMR ProLiant ML350 Gen11 Service
H93S6E	HPE 4 Year Tech Care Basic ML350 Gen 11 HW Service
H93S8E	HPE 4 Year Tech Care Basic wCDMR ML350 Gen 11 HW Service
H93S7E	HPE 4 Year Tech Care Basic wDMR ML350 Gen 11 HW Service
H58BQE	HPE 4 Year Tech Care Basic wGDMR ProLiant ML350 Gen11 Service
H93T5E	HPE 4 Year Tech Care Critical for ML350 Gen 11 HW Service
H93T7E	HPE 4 Year Tech Care Critical wCDMR ML350 Gen 11 HW Service
H93T6E	HPE 4 Year Tech Care Critical wDMR ML350 Gen 11 HW Service
H58BSE	HPE 4 Year Tech Care Critical wGDMR ProLiant ML350 Gen11 Service
H93T2E	HPE 4 Year Tech Care Essential ML350 Gen 11 HW Service
H93T4E	HPE 4 Year Tech Care Essential wCDMR ML350 Gen 11 HW Service
H93T3E	HPE 4 Year Tech Care Essential wDMR ML350 Gen 11 HW Service
H58BRE	HPE 4 Year Tech Care Essential wGDMR ProLiant ML350 Gen11 Service
H44ZXE	HPE 5 Year Tech Care Basic ML350 Gen11 Smart Choice Service
H93T8E	HPE 5 Year Tech Care Basic ML350 Gen 11 HW Service
H93U0E	HPE 5 Year Tech Care Basic wCDMR ML350 Gen 11 HW Service

H93T9E	HPE 5 Year Tech Care Basic wDMR ML350 Gen 11 HW Service
H58BTE	HPE 5 Year Tech Care Basic wGDMR ProLiant ML350 Gen11 Service
H93U7E	HPE 5 Year Tech Care Critical for ML350 Gen 11 HW Service
H93U9E	HPE 5 Year Tech Care Critical wCDMR ML350 Gen 11 HW Service
H93U8E	HPE 5 Year Tech Care Critical wDMR ML350 Gen 11 HW Service
H58BWE	HPE 5 Year Tech Care Critical wGDMR ProLiant ML350 Gen11 Service
H44ZYE	HPE 5 Year Tech Care Essential ML350 Gen11 Smart Choice Service
H93U4E	HPE 5 Year Tech Care Essential ML350 Gen 11 HW Service
H93U6E	HPE 5 Year Tech Care Essential wCDMR ML350 Gen 11 HW Service
H93U5E	HPE 5 Year Tech Care Essential wDMR ML350 Gen 11 HW Service
H58BVE	HPE 5 Year Tech Care Essential wGDMR ProLiant ML350 Gen11 Service
H93V0E	HPE 6 Year Tech Care Basic ML350 Gen 11 Service
H93V1E	HPE 6 Year Tech Care Basic wDMR ML350 Gen 11 Service
H93V4E	HPE 6 Year Tech Care Essential ML350 Gen 11 Service
H93V5E	HPE 6 Year Tech Care Essential wDMR ML350 Gen 11 Service
H93V6E	HPE 7 Year Tech Care Basic ML350 Gen 11 Service
H93V7E	HPE 7 Year Tech Care Basic wDMR ML350 Gen 11 Service
H93W0E	HPE 7 Year Tech Care Essential ML350 Gen 11 Service
H93W1E	HPE 7 Year Tech Care Essential wDMR ML350 Gen 11 Service
H33XSE	HPE Education - Learning Credits 1 Year Service
U4554E	HPE ProLiant DL/ML Install Service
UF070E	HPE ProLiant DL/ML Non Standard Hours Install Service
UF074E	HPE ProLiant DL/ML Ons NSH Startup Service
U4555E	HPE ProLiant DL/ML Ons Startup Service
H30JHE	HPE ProLiant DL/ML Rmt NSH Startup Service
H30JGE	HPE ProLiant DL/ML Rmt Startup Service

Services HPE

Où que vous en soyez dans votre parcours de transformation, vous pouvez compter sur l'expertise HPE Services quand, où et comme vous en avez besoin. De la stratégie et de la planification au déploiement, en passant par les opérations actuelles et futures, les experts HPE sont à votre disposition pour vous aider à réaliser vos ambitions numériques.

Services de conseil et professionnels

Nos experts peuvent vous aider à cartographier votre parcours vers le cloud hybride et à optimiser vos opérations.

Services gérés

HPE se charge de vos opérations informatiques en vous offrant une gestion unifiée, afin que vous puissiez vous consacrer à l'innovation.

Services de support

Optimisez votre environnement informatique et stimulez l'innovation. Gérez vos tâches informatiques quotidiennes en consommant moins de temps et de ressources.

- **HPE Complete Care Service** : un service modulaire conçu pour vous aider à optimiser votre environnement informatique complet et à atteindre les objectifs informatiques et commerciaux convenus. Le tout est mis en œuvre par une équipe d'experts HPE dédiée.
- **HPE Tech Care Service** : l'expérience de services opérationnels des produits HPE. Ce service vous donne accès à des experts spécialisés dans des produits spécifiques, une expérience numérique pilotée par l'IA et des conseils techniques généraux pour réduire les risques et rechercher en permanence des moyens de mieux faire.
- **HPE Multivendor Services** : un seul interlocuteur pour la gestion du matériel sur site et le support logiciel pour les produits multifournisseurs. Les experts HPE vous aident à gérer vos technologies et plateformes HPE et non HPE en agissant en tant que point de contact unique pour vos besoins opérationnels informatiques.

Lifecycle Services

Répondez à vos besoins spécifiques en matière de déploiement informatique avec des services de gestion de projets et de déploiement sur mesure.

HPE Education Services

Formations et certifications conçues pour les professionnels de l'informatique et les équipes commerciales de tous les secteurs. Créez des cursus de formation pour développer les compétences sur des sujets spécifiques. Programmez des formations selon un calendrier adapté à votre activité, avec des options flexibles de formation continue.

Defective Media Retention est en option et vous permet de conserver les baies SSD/flash éligibles remplacées par HPE en raison d'un dysfonctionnement.

GreenLake

[GreenLake](#) est le cloud qui vous permet d'exécuter et de gérer l'ensemble de votre paysage hybride : privé, public et edge. Il vous aide à :

- Rationaliser les opérations informatiques pour le calcul, le stockage et le réseau, sans les complications
- Unifier et sécuriser les données à mesure que vous gagnez en rapidité
- Accélérer le passage du projet IA à la production

Le résultat : une plus grande efficacité opérationnelle, un coût total de possession réduit et une mise en application plus rapide de l'IA, le tout à partir d'une plateforme unifiée et intelligente, conçue pour l'entreprise hybride d'aujourd'hui.

Pour plus d'informations techniques, les modèles disponibles et les options, veuillez vous référer aux QuickSpecs

Visiter [HPE.com](https://hpe.com)

Dialoguer en ligne

© Copyright 2026 Hewlett Packard Enterprise Development LP. Les informations contenues dans ce document sont sujettes à modification sans préavis. Les seules garanties relatives aux produits et services Hewlett Packard Enterprise sont stipulées dans les déclarations de garantie expresses accompagnant ces produits et services. Aucune déclaration contenue dans ce document ne peut être interprétée comme constituant une garantie supplémentaire. Hewlett Packard Enterprise décline toute responsabilité en cas d'erreurs ou d'omissions de nature technique ou rédactionnelle dans le présent document.

Pièces et équipements : HPE fournira les pièces de rechange et le matériel nécessaires à l'entretien des équipements couverts.

Les pièces et les composants dont la durée de vie prise en charge maximale et/ou les limites d'utilisation maximale sont atteintes, conformément à ce qui est indiqué dans le manuel d'utilisation du fabricant, dans la fiche de présentation des caractéristiques techniques ou dans la fiche de description technique, ne seront pas fournis, réparés ou remplacés.

Intel et Intel Xeon sont des marques de commerce d'Intel Corporation aux États-Unis et dans d'autres pays. Toutes les autres marques commerciales tierces sont la propriété de leur(s) propriétaire(s) respectif(s).

L'image peut être différente du produit réel.

PSN1014696172CAFR, juillet, 2026.

HEWLETT PACKARD ENTERPRISE

hpe.com

